



EST3 Compatibility List

3-AADC1 Addressable Analog Device Controller compatible devices [1]

Agency	Models					
UL	1251F	2251F	5251F	B210LPF	DH500F	M500CFS
	1551FB	2251TF	5251F	B501		M500MFB
		2551FB	5551FB	B501B		M500XF
		2551TB	5551FR	B501BH		M501MF
ULC	1251F	2251F	5251F	B210LPF	DH500A	M500CHA
	1551AB	2251TF	5251F	B501B		M500MA
		2551AB	5551AB	B501BH		M500XF
		2551TF	5551AR			M501MA

[1] RZB12-6 and U10-12 are for use with 3-AADC1 in legacy or retrofit applications only. They are not compatible with 3-AADC controllers.

3-IDC8/4 compatible initiating devices (CI 100)

Agency	Mfgr.	Model [1]	Description	UL ID	Compatible base	Max. [2]
UL, ULC	Edwards	6249B	Ionization smoke detector with base	001 / N/A	N/A	50
UL, ULC	Edwards	6250B	Ionization smoke detector	001 / 001	6249B-001	50
UL, ULC	Edwards	6250B	Ionization smoke detector	001 / 001	6251B-001(A)	50
UL, ULC	Edwards	6264G-001 (6260A-100)	Ionization duct smoke detector	001 / 001	6251B-001(A)	45
UL, ULC	Edwards	6266B-00 (6260A-100)	Photoelectric duct smoke detector	001 / 001	6251B-001(A)	45
UL, ULC	Edwards	6269B	Photoelectric smoke detector with base	001 / N/A	N/A	45
UL, ULC	Edwards	6269B-003	Photoelectric smoke/heat detector with base	001 / N/A	N/A	45
UL, ULC	Edwards	6270B	Photoelectric smoke detector	001 / 001	6249B-001	45
UL, ULC	Edwards	6270B	Photoelectric smoke detector	001 / 001	6251B-001(A)	45
UL, ULC	Edwards	6270B-003	Photoelectric smoke/heat detector	001 / 001	6249B-001	45
UL, ULC	Edwards	6270B-003	Photoelectric smoke/heat detector	001 / 001	6251B-001(A)	45
UL, ULC	System Sensor	1451	Ionization smoke detector	A / A	B401(B)	25
UL, ULC	System Sensor	2451	Photoelectric smoke detector	A / A	B401(B)	25
UL, ULC	System Sensor	2451TH	Photoelectric smoke/heat detector	A / A	B401	25
UL, ULC	System Sensor	DH400I	Ionization duct smoke detector with base	A / N/A	N/A	25
UL, ULC	System Sensor	DH400P	Photoelectric duct smoke detector with base	A / N/A	N/A	25
UL	Edwards	EC10U-3	Ion detector with sensitivity test	A / A	CSBU-1	60

Agency	Mfgr.	Model [1]	Description	UL ID	Compatible base	Max. [2]
UL, ULC	Edwards	EC30U-3	Photo detector with sensitivity test	A / A	CSBU-1	48 UL, 30 ULC
UL, ULC	Edwards	EC20FTU-3	Heat detector fixed temperature	A / A	CSBU-1	46 UL, 30 ULC
UL, ULC	Edwards	EC20RRU-3	Heat detector rate of rise	A / A	CSBU-1	46 UL, 30 ULC
UL	Edwards	429C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	30
UL	Edwards	429CT	Photoelectric smoke detector (12/24 VDC) with dual heat sensor (FT/RoR)	S10A / N/A	N/A	30
UL	Edwards	521B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	30
UL	Edwards	511C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	30
UL	Edwards	521NB	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	30
UL	Edwards	521NBXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	30
UL	Edwards	521NCSXT	Photoelectric smoke detector (12/24 VDC), dual heat sensor (FT/RoR), and sounder	S10A / N/A	N/A	30
UL	Edwards	521BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	30
ULC	Edwards	528B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	30
ULC	Edwards	528BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	30
UL	Edwards	711U	Photoelectric smoke detector (12/24 VDC)	S10A / S00	701U, 702U, 702E	30
UL	Edwards	711UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors	S10A / S00	701U, 702U, 702E	30
UL	Edwards	713-5U	Two-wire rate-of-rise and 57°C (135°F) fixed temperature heat detector	S10A / S00	701U, 702U, 702E	30
UL	Edwards	721UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors and remote alarm/trouble LED	S10A / S00	701U, 702U, 702E	30

[1] The first number is for the head. The second number (in parentheses) is for the housing.

[2] Maximum number of devices per IDC.

Legacy 3-IDC8/4 compatible initiating devices [1]

Manufacturer	Models					
GE Security	429C	521B	521NB	521NCSXT	528BXT	711UT
	429CT	521BXT	521NBXT	528B	711U	721UT
	511C					
Sentrol / ESL	711U	711UT	721UT			

[1] For listing agency, description, UL identifier, compatible base, and quantity per IDC, see "3-IDC8/4 compatible initiating devices (CI 100)" above.

RZB12-6 compatible initiating devices

Agency	Mfgr.	Model [1]	Description	UL ID	Compatible base	Max. [2]
UL	Edwards	6249B	Ionization smoke detector with base	001 / N/A	N/A	50
UL	Edwards	6250B	Ionization smoke detector	001 / 001	6249B-001 6251B-001(A)	50 50
UL	Edwards	6264B-001 (6260A-100)	Ionization duct smoke detector	001 / 001	6251B-001(A)	45
UL	Edwards	6266B-001 (6260A-100)	Photoelectric duct smoke detector	001 / 001	6251B-001(A)	45
UL	Edwards	6269B	Photoelectric smoke detector with base	001 / N/A	N/A	45
UL	Edwards	6269B-003	Photoelectric smoke/heat detector with base	001 / N/A	N/A	45
UL	Edwards	6270B	Photoelectric smoke detector	001 / 001	6249B-001 6251B-001(A)	45 45
UL	Edwards	6270B-003	Photoelectric smoke/heat detector	001 / 001	6249B-001 6251B-001(A)	45 45
UL	Hochiki	SIF-24F	2-wire smoke detector	001 / 001	HS-22D	15
UL	Hochiki	SLK-24F	2-wire smoke detector	001 / 001	HS-22D	15
UL	Hochiki	SLK-24FH	2-wire smoke detector	001 / 001	HS-22D	15
UL	Sentrol / ESL	420C	2-wire smoke detector	001	N/A	30
UL	Sentrol / ESL	420CR	2-wire smoke detector	001	N/A	30
UL	Sentrol / ESL	425C	2-wire smoke detector	001	N/A	30
UL	Sentrol / ESL	425CR	2-wire smoke detector	001	N/A	30
UL	Sentrol / ESL	611U	2-wire smoke detector	S10A / S00	601U	30
UL	Sentrol / ESL	611UD	2-wire smoke detector	S10A / S00	601U	30
UL	Sentrol / ESL	611UT	2-wire smoke detector	S10A / S00	601U	30
UL	Sentrol / ESL	612U	2-wire smoke detector	S10A / S00	601U	30
UL	Sentrol / ESL	612UD	2-wire smoke detector	S10A / S00	601U	30
UL	System Sensor	1400	2-wire smoke detector	001	N/A	20
UL	System Sensor	1451	2-wire smoke detector	001 / 001	B401B	20
UL	System Sensor	1851DH	2-wire smoke detector	001 / 001	DH1852DC	20
UL	System Sensor	2400	2-wire smoke detector	001	N/A	20
UL	System Sensor	2400TH	2-wire smoke detector	001	N/A	20
UL	System Sensor	2451	2-wire smoke detector	001 / 001	B401B	20
UL	System Sensor	2451TH	2-wire smoke detector	001 / 001	B401B	20
UL	System Sensor	2851TH	2-wire smoke detector	001 / 001	DH2851DC	20
UL	System Sensor	1451	Ionization smoke detector	A / A	B401(B)	25
UL	System Sensor	2451	Photoelectric smoke detector	A / A	B401(B)	25
UL	System Sensor	2451TH	Photoelectric smoke/heat detector	A / A	B401	25
UL	System Sensor	DH400I	Ionization duct smoke detector with base	A / N/A	N/A	25
UL	System Sensor	DH400P	Photoelectric duct smoke detector with base	A / N/A	N/A	25

[1] The first number is for the head. The second number (in parentheses) is for the housing.

[2] Maximum number of devices per IDC.

Signature Controller Module compatible devices

Agency	Models					
UL, ULC	SIGA-270(x)	SIGA-CC1S	SIGA-IB4	SIGA-MCRR	SIGA-SB	
	SIGA-270P(x)	SIGA-CC2	SIGA-IM	SIGA-MCT2	SIGA-SB4	
	SIGA-271	SIGA-CC2A	SIGA-IO	SIGA-MCT2C	SIGA-SD	
	SIGA-278	SIGA-CR	SIGA-IOC	SIGA-MD(S)	SIGA-SEC2	
	SIGA2-HFS	SIGA-CR2	SIGA-IPHS	SIGA-MDM	SIGA-TCDR	
	SIGA2-HRS	SIGA-CRR	SIGA-IPHSB	SIGA-MIO	SIGA-UIO2R	
	SIGA2-PHS	SIGA-CT1	SIGA-IS	SIGA-MM1	SIGA-UIO6	
	SIGA2-PS	SIGA-CT1C	SIGA-MAB	SIGA-MRM1	SIGA-UIO6R	
	SIGA-AA30	SIGA-CT2	SIGA-MCC1	SIGA-PHS	SIGA-UM	
	SIGA-AA50	SIGA-CT2C	SIGA-MCC1C	SIGA-PS	SIGA-WTM	
	SIGA-AB4GT	SIGA-DTS	SIGA-MCC1S	SIGA-RB		
	SIGA-APS	SIGA-HFS	SIGA-MCC2	SIGA-RB4		
	SIGA-CC1	SIGA-HRS	SIGA-MCC2A	SIGA-REL		
	SIGA-CC1C	SIGA-IB	SIGA-MCR	SIGA-RM1		
	UL	JTF-GOM-S2PHSI	JTW-ZOM-S2HRSI	JTY-GM-SIGAPS	SIGA2-HCOS	SIGA-CC1P
		JTW-ZDM-S2HFSI	JTY-GDM-SIGA-DSC	JTY-ZOM-SIGAHRSI	SIGA2-PCOS	SIGA-DHI
JTW-ZDM-SIGA-DHC		JTY-GM-S2PSI	SIGA2-COS	SIGA2-PHCOS	SIGA-DSI	
ULC	SIGA2-COS-CA	SIGA2-HCOS-CA	SIGA2-PCOS-CA	SIGA2-PHCOS-CA		

SIGA-UM compatible initiating devices (ID 0.0 and 1.0) [1]

Agency	Mfgr.	Model	Description	UL ID	Compatible base [2]	Max. [3]
UL	Edwards	2M-PDC	Photoelectric smoke detector	S09A / N/A	N/A	10 [4]
UL	Edwards	2M-PDHC	Photoelectric smoke detector with FT and ROR heat	S09A / N/A	N/A	10 [4]
UL	Edwards	2M-PDHRC	Photoelectric smoke detector with FT and ROR heat and aux. relay	S11A / N/A	N/A	10 [4]
UL	Edwards	6249B	Ionization smoke detector with base	001 / N/A	N/A	20
UL	Edwards	6250B	Ionization smoke detector	001 / 001	6249B-001	20
UL	Edwards	6250B	Ionization smoke detector	001 / 001	6251B-001A	20
ULC	Edwards	6250C	Ionization smoke detector	001 / 001	6251C-001A	20
UL	Edwards	6264B-001	Ionization duct detector	001 / 001	6251B-001(A) (6260A-100)	20
UL	Edwards	6266B-001	Photoelectric duct detector	001 / 001	6251B-001(A) (6260A-100)	15
UL	Edwards	6269B	Photoelectric smoke detector with base	001 / N/A	N/A	15
UL	Edwards	6269B-003	Photoelectric smoke detector with thermal and base	001 / N/A	N/A	15
UL	Edwards	6270B	Photoelectric smoke detector	001 / 001	6249B-001	15
UL	Edwards	6270B	Photoelectric smoke detector	001 / 001	6251B-001(A)	15
ULC	Edwards	6270C	Photoelectric smoke detector	001 / 001	6251C-001A	14
UL	Edwards	6270B-003	Photoelectric smoke detector with thermal	001 / 001	6249B-001	15
UL	Edwards	6270B-003	Photoelectric smoke detector with thermal	001 / 001	6251B-001(A)	15
UL, ULC	System Sensor	1451	Ionization smoke detector	A / A	B401(B)	8
UL, ULC	System Sensor	2451	Photoelectric smoke detector	A / A	B401(B)	8
UL	System Sensor	2451TH	Photoelectric smoke detector with thermal	A / A	B401(B)	8
UL	System Sensor	DH400I	Ionization duct detector	A / N/A	N/A	8

Agency	Mfgr.	Model	Description	UL ID	Compatible base [2]	Max. [3]
UL	System Sensor	DH400P	Photoelectric duct detector	A / N/A	N/A	8
UL	Edwards	EC10U-3	Ion detector with sensitivity test	A / A	CSBU-1	20
UL, ULC	Edwards	EC30U-3	Photo detector with sensitivity test	A / A	CSBU-1	16
UL, ULC	Edwards	EC20FTU-3	Heat detector fixed temperature	A / A	CSBU-1	15
UL, ULC	Edwards	EC20RRU-3	Heat detector rate of rise	A / A	CSBU-1	15
UL, ULC	EST	ESD-2W	Two-wire duct smoke detector	0.0 / 1.0	N/A	14
UL, ULC	EST	SD-2W	Two-wire duct smoke detector	0.0 / 1.0	N/A	14
UL	Edwards	429C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	429CT	Photoelectric smoke detector (12/24 VDC) with dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	521B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	511C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	521NB	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	521NBXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	521NCSXT	Photoelectric smoke detector (12/24 VDC), dual heat sensor (FT/RoR), and sounder	S10A / N/A	N/A	10
UL	Edwards	521BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
ULC	Edwards	528B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
ULC	Edwards	528BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	711U	Photoelectric smoke detector (12/24 VDC)	S10A / S00	701U, 702U, 702E	10
UL	Edwards	711UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors	S10A / S00	701U, 702U, 702E	10
UL	Edwards	713-5U	Two-wire rate-of-rise and 57°C (135°F) fixed temperature heat detector	S10A / S00	701U, 702U, 702E	10
UL	Edwards	721UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors and remote alarm/trouble LED	S10A / S00	701U, 702U, 702E	10

[1] All two-wire smoke detectors on an IDC circuit must be of the same manufacturer. Do not mix Edwards and System Sensor detectors on the same IDC circuit.

[2] The first number is for the base. The second number (in parentheses) is for the housing.

[3] Maximum number of devices per IDC.

[4] Use only with SIGA-UMs that have a Compatibility ID 1.0. sticker attached.

Legacy SIGA-UM compatible initiating devices [1]

Manufacturer	Models					
GE Security	429C 429CT 511C	521B 521BXT	521NB 521NBXT	521NCSXT 528B	528BXT 711U	711UT 721UT
Sentrol / ESL	711U	711UT	721UT			

SIGA-MAB compatible initiating devices (ID 0.0 and 1.0) [1] [2]

Agency	Mfgr.	Model	Description	UL ID	Compatible base [3]	Max. [4]
UL	Edwards	2M-PDC	Photoelectric smoke detector	S09A / N/A	N/A	10 [5]
UL	Edwards	2M-PDHC	Photoelectric smoke detector with FT and ROR heat	S09A / N/A	N/A	10 [5]
UL	Edwards	2M-PDHRC	Photoelectric smoke detector with FT and ROR heat and aux. relay	S11A / N/A	N/A	10 [5]
UL	Edwards	6249B	Ionization smoke detector with base	001 / N/A	N/A	20
UL	Edwards	6250B	Ionization smoke detector	001 / 001	6249B-001	20
UL	Edwards	6250B	Ionization smoke detector	001 / 001	6251B-001A	20
ULC	Edwards	6250C	Ionization smoke detector	001 / 001	6251C-001A	20
UL	Edwards	6264B-001	Ionization duct detector	001 / 001	6251B-001(A) (6260A-100)	20
UL	Edwards	6266B-001	Photoelectric duct detector	001 / 001	6251B-001(A) (6260A-100)	15
UL	Edwards	6269B	Photoelectric smoke detector with base	001 / N/A	N/A	15
UL	Edwards	6269B-003	Photoelectric smoke detector with thermal and base	001 / N/A	N/A	15
UL	Edwards	6270B	Photoelectric smoke detector	001 / 001	6249B-001	15
UL	Edwards	6270B	Photoelectric smoke detector	001 / 001	6251B-001(A)	15
ULC	Edwards	6270C	Photoelectric smoke detector	001 / 001	6251C-001A	14
UL	Edwards	6270B-003	Photoelectric smoke detector with thermal	001 / 001	6249B-001	15
UL	Edwards	6270B-003	Photoelectric smoke detector with thermal	001 / 001	6251B-001(A)	15
UL, ULC	System Sensor	1451	Ionization smoke detector	A / A	B401(B)	8
UL, ULC	System Sensor	2451	Photoelectric smoke detector	A / A	B401(B)	8
UL	System Sensor	2451TH	Photoelectric smoke detector with thermal	A / A	B401(B)	8
UL	System Sensor	DH400I	Ionization duct detector	A / N/A	N/A	8
UL	System Sensor	DH400P	Photoelectric duct detector	A / N/A	N/A	8
UL	Edwards	EC10U-3	Ion detector with sensitivity test	A / A	CSBU-1	20
UL, ULC	Edwards	EC30U-3	Photo detector with sensitivity test	A / A	CSBU-1	16
UL, ULC	Edwards	EC20FTU-3	Heat detector fixed temperature	A / A	CSBU-1	15
UL, ULC	Edwards	EC20RRU-3	Heat detector rate of rise	A / A	CSBU-1	15
UL, ULC	EST	ESD-2W	Two-wire duct smoke detector	0.0 / 1.0	N/A	14
UL, ULC	EST	SD-2W	Two-wire duct smoke detector	0.0 / 1.0	N/A	14
UL	Edwards	429C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10

Agency	Mfgr.	Model	Description	UL ID	Compatible base [3]	Max. [4]
UL	Edwards	429CT	Photoelectric smoke detector (12/24 VDC) with dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	521B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	511C	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	521NB	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
UL	Edwards	521NBXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	521NCSXT	Photoelectric smoke detector (12/24 VDC), dual heat sensor (FT/RoR), and sounder	S10A / N/A	N/A	10
UL	Edwards	521BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
ULC	Edwards	528B	Photoelectric smoke detector (12/24 VDC)	S10A / N/A	N/A	10
ULC	Edwards	528BXT	Photoelectric smoke detector (12/24 VDC), and dual heat sensor (FT/RoR)	S10A / N/A	N/A	10
UL	Edwards	711U	Photoelectric smoke detector (12/24 VDC)	S10A / S00	701U, 702U, 702E	10
UL	Edwards	711UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors	S10A / S00	701U, 702U, 702E	10
UL	Edwards	713-5U	Two-wire rate-of-rise and 57°C (135°F) fixed temperature heat detector	S10A / S00	701U, 702U, 702E	10
UL	Edwards	721UT	Fast response photoelectric smoke detector (12/24 VDC) with heat sensors and remote alarm/trouble LED	S10A / S00	701U, 702U, 702E	10

[1] All two-wire smoke detectors on an IDC circuit must be of the same manufacturer. Do not mix Edwards and System Sensor detectors on the same IDC circuit.

[2] All Genesis notification devices using G1M, G1M-RM, SIGA-CC1S, and SIGA-MCC1S are suitable for synchronization.

[3] The first number is for the base. The second number (in parentheses) is for the housing.

[4] Maximum number of devices per IDC.

[5] Use only with SIGA-UMs that have a Compatibility ID 1.0 sticker attached.

Legacy SIGA-MAB compatible initiating devices [1]

Manufacturer	Models
GE Security	429C 429CT 511C 521B 521BXT 521NB 521NBXT 521NCSXT 528B 528BXT 711U 711UT 721UT
Sentrol / ESL	711U 711UT 721UT

[1] For listing agency, description, UL identifier, compatible base, and quantity per IDC, see "SIGA-MAB compatible initiating devices (ID 0.0 and 1.0)" above.

3-IDC8/4 compatible regulated notification appliances

Appliances rated as Regulated 24 DC must not draw more than 1 A at 24 VDC. You cannot exceed the maximum number of special application appliances listed in the Compatible special applications notification appliances table below.

Compatible special applications notification appliances

Manufacturer	Model	Max. [1]
ADT	ADTG1-C	81
ADT	ADTG1-CVM	38
ADT	ADTG1F-C	81
ADT	ADTG1F-CVM	38
ADT	ADTG1F-HD	85
ADT	ADTG1F-HDVM	39
ADT	ADTG1F-P	269
ADT	ADTG1F-VM	54
ADT	ADTG1-HD	85
ADT	ADTG1-HDVM	39
ADT	ADTG1M	1
ADT	ADTG1M-RM	1
ADT	ADTG1-P	269
ADT	ADTG1R-C	81
ADT	ADTG1R-CVM	38
ADT	ADTG1RF-C	81
ADT	ADTG1RF-CVM	38
ADT	ADTG1RF-HD	85
ADT	ADTG1RF-HDVM	39
ADT	ADTG1RF-P	269
ADT	ADTG1RF-VM	54
ADT	ADTG1R-HD	85
ADT	ADTG1R-HDVM	39
ADT	ADTG1R-P	269
ADT	ADTG1R-VM	54
ADT	ADTG1-VM	54
ADT	ADTG4F-S2VM	49
ADT	ADTG4F-S7VM	49
ADT	ADTG4RF-S2VM	49
ADT	ADTG4RF-S7VM	49
ADT	ADTG4R-S2VM	49
ADT	ADTG4R-S7VM	49
ADT	ADTG4-S2VM	49
ADT	ADTG4-S7VM	49
ADT	ADTGCF-HDVM	40

Manufacturer	Model	Max. [1]
ADT	ADTGCF-HDVMH	14
ADT	ADTGCF-S2VM	51
ADT	ADTGCF-S2VMH	15
ADT	ADTGCF-S7VM	51
ADT	ADTGCF-S7VMH	15
ADT	ADTGCF-VM	51
ADT	ADTGCF-VMH	15
ADT	ADTGC-HDVM	40
ADT	ADTGC-HDVMH	14
ADT	ADTGC-S2VM	51
ADT	ADTGC-S2VMH	15
ADT	ADTGC-S7VM	51
ADT	ADTGC-S7VMH	15
ADT	ADTGC-VM	51
ADT	ADTGC-VMH	15
Edwards	GL1RF-HD	78
Edwards	GL1RF-HDVMC	75
Edwards	GL1RF-VMC	93
Edwards	GL1RN-HD	78
Edwards	GL1RN-HDVMC	75
Edwards	GL1RN-VMC	93
Edwards	GL1WF-HD	78
Edwards	GL1WF-HDVMC	75
Edwards	GL1WF-VMC	93
Edwards	GL1WN-HD	78
Edwards	GL1WN-HDVMC	75
Edwards	GL1WN-VMC	93
EST	106DEXBSTC-FJ	2
EST	106DEXPSTC-FJ	2
EST	202-7A-T	35
EST	202-7A-TW	35
EST	202-8A-T	17
EST	202-8A-TR	17
EST	202-8A-TW	17
EST	202-8A-TWR	17
EST	403-3A-R	36
EST	403-5A-R	46
EST	403-7A-R	35
EST	403-8A-R	17
EST	405-3A-T	36

Manufacturer	Model	Max. [1]
EST	405-3A-TW	36
EST	405-5A-T	46
EST	405-5A-TW	46
EST	405-6A-T	20
EST	405-6A-TW	20
EST	405-7A-T	35
EST	405-7A-TW	35
EST	405-8A-T	17
EST	405-8A-TW	17
EST	757-1A-T	87
EST	757-1A-TW	87
EST	757-3A-RS25	36
EST	757-3A-RS25W	36
EST	757-3A-RS70	36
EST	757-3A-RS70W	36
EST	757-7A-RS25	35
EST	757-7A-RS25W	35
EST	757-7A-RS70	35
EST	757-7A-RS70W	35
EST	757-7A-T	35
EST	757-7A-TW	35
EST	757-8A-RS25	17
EST	757-8A-RS25W	17
EST	757-8A-RS70	17
EST	757-8A-RS70W	17
EST	757-8A-T	15
EST	757-8A-TW	15
EST	964-3A-8RW	36
EST	964-3A-8SW	36
EST	964-5A-8RW	46
EST	964-5A-8SW	46
EST	964-7A-8RW	35
EST	964-7A-8SW	35
EST	964-8A-8RW	17
EST	964-8A-8SW	17
EST	965-3A-8RW	36
EST	965-3A-8SW	36
EST	965-5A-8RW	46
EST	965-5A-8SW	46
EST	965-7A-8RW	35
EST	965-7A-8SW	35

Manufacturer	Model	Max. [1]
EST	965-8A-8RW	17
EST	965-8A-8SW	17
EST	CS405-7A-T	35
EST	CS405-8A-T	17
EST	G1-C	81
EST	G1-CVM	38
EST	G1F-C	81
EST	G1F-CVM	38
EST	G1F-HD	85
EST	G1F-HDVM	39
EST	G1F-P	269
EST	G1F-VM	54
EST	G1-HD	85
EST	G1-HDVM	39
EST	G1M	1
EST	G1M-RM	1
EST	G1-P	269
EST	G1R-C	81
EST	G1R-CVM	38
EST	G1RF-C	81
EST	G1RF-CVM	38
EST	G1RF-HD	85
EST	G1RF-HDVM	39
EST	G1RF-P	269
EST	G1RF-VM	54
EST	G1R-HD	85
EST	G1R-HDVM	39
EST	G1R-P	269
EST	G1R-VM	54
EST	G1-VM	54
EST	G4F-S2VM	49
EST	G4F-S7VM	49
EST	G4RF-S2VM	49
EST	G4RF-S7VM	49
EST	G4R-S2VM	49
EST	G4R-S7VM	49
EST	G4-S2VM	49
EST	G4-S7VM	49
EST	GCF-HDVM	40
EST	GCF-HDVMH	14
EST	GCF-S2VM	51

Manufacturer	Model	Max. [1]
EST	GCF-S2VMH	15
EST	GCF-S7VM	51
EST	GCF-S7VMH	15
EST	GCF-VM	51
EST	GCF-VMH	15
EST	GC-HDVM	40
EST	GC-HDVMH	14
EST	GC-S2VM	51
EST	GC-S2VMH	15
EST	GC-S7VM	51
EST	GC-S7VMH	15
EST	GC-VM	51
EST	GC-VMH	15
EST	SIGA-AB4G(T)	67
EST (Edwards)	323D-10AW	10
EST (Edwards)	323D-10AW-R	10
EST (Edwards)	329D-AW	10
EST (Edwards)	439D-10AW	41
EST (Edwards)	439D-10AW-R	41
EST (Edwards)	439D-6AW	41
EST (Edwards)	439D-6AW-R	41
EST (Edwards)	439DEX-10AW	14
EST (Edwards)	439DEX-6AW	14
EST (Edwards)	439DEX-8AW	14
EST (Edwards)	5520D-AW	10
EST (Edwards)	5522D-AW	10
EST (Edwards)	5523D-AW	10
EST (Edwards)	5530MD-24AW	4
EST (Edwards)	5533BD-AW	10
EST (Edwards)	889D-AW	21
EST (Edwards)	G4LFRF-H	18
EST (Edwards)	G4LFRF-HVM	13
EST (Edwards)	G4LFRN-H	18
EST (Edwards)	G4LFRN-HVM	13
EST (Edwards)	G4LFWF-H	18
EST (Edwards)	G4LFWF-HVM	13
EST (Edwards)	G4LFWN-H	18
EST (Edwards)	G4LFWN-HVM	13
Honeywell	XLS202-7A-T	35
Honeywell	XLS202-7A-TW	35
Honeywell	XLS202-8A-T	17

Manufacturer	Model	Max. [1]
Honeywell	XLS202-8A-TW	17
Honeywell	XLS403-3A-R	36
Honeywell	XLS403-5A-R	46
Honeywell	XLS403-7A-R	35
Honeywell	XLS403-8A-R	17
Honeywell	XLS405-3A-T	36
Honeywell	XLS405-3A-TW	36
Honeywell	XLS405-5A-T	46
Honeywell	XLS405-5A-TW	46
Honeywell	XLS405-6A-T	20
Honeywell	XLS405-6A-TW	20
Honeywell	XLS405-7A-T	35
Honeywell	XLS405-7A-TW	35
Honeywell	XLS405-8A-T	17
Honeywell	XLS405-8A-TW	17
Honeywell	XLS757-1A-T	87
Honeywell	XLS757-1A-TW	87
Honeywell	XLS757-3A-RS25	36
Honeywell	XLS757-3A-RS25W	36
Honeywell	XLS757-3A-RS70	36
Honeywell	XLS757-3A-RS70W	36
Honeywell	XLS757-7A-RS25	35
Honeywell	XLS757-7A-RS25W	35
Honeywell	XLS757-7A-RS70	35
Honeywell	XLS757-7A-RS70W	35
Honeywell	XLS757-7A-T	35
Honeywell	XLS757-7A-TW	35
Honeywell	XLS757-8A-RS25	17
Honeywell	XLS757-8A-RS25W	17
Honeywell	XLS757-8A-RS70	17
Honeywell	XLS757-8A-RS70W	17
Honeywell	XLS757-8A-T	15
Honeywell	XLS757-8A-TW	15
Honeywell	XLS964-3A-8RW	36
Honeywell	XLS964-3A-8SW	36
Honeywell	XLS964-5A-8RW	46
Honeywell	XLS964-5A-8SW	46
Honeywell	XLS964-7A-8RW	35
Honeywell	XLS964-7A-8SW	35
Honeywell	XLS964-8A-8RW	17
Honeywell	XLS964-8A-8SW	17

Manufacturer	Model	Max. [1]
Honeywell	XLS965-3A-8RW	36
Honeywell	XLS965-3A-8SW	36
Honeywell	XLS965-5A-8RW	46
Honeywell	XLS965-5A-8SW	46
Honeywell	XLS965-7A-8RW	35
Honeywell	XLS965-7A-8SW	35
Honeywell	XLS965-8A-8RW	17
Honeywell	XLS965-8A-8SW	17
Honeywell	XLSG1-C	81
Honeywell	XLSG1-CVM	38
Honeywell	XLSG1F-C	81
Honeywell	XLSG1F-CVM	38
Honeywell	XLSG1F-HD	85
Honeywell	XLSG1F-HDVM	39
Honeywell	XLSG1F-P	269
Honeywell	XLSG1F-VM	54
Honeywell	XLSG1-HD	85
Honeywell	XLSG1-HDVM	39
Honeywell	XLSG1M	1
Honeywell	XLSG1M-RM	1
Honeywell	XLSG1-P	269
Honeywell	XLSG1R-C	81
Honeywell	XLSG1R-CVM	38
Honeywell	XLSG1RF-C	81
Honeywell	XLSG1RF-CVM	38
Honeywell	XLSG1RF-HD	85
Honeywell	XLSG1RF-HDVM	39
Honeywell	XLSG1RF-P	269
Honeywell	XLSG1RF-VM	54
Honeywell	XLSG1R-HD	85
Honeywell	XLSG1R-HDVM	39
Honeywell	XLSG1R-P	269
Honeywell	XLSG1R-VM	54
Honeywell	XLSG1-VM	54
Honeywell	XLSG4F-S2VM	49
Honeywell	XLSG4F-S7VM	49
Honeywell	XLSG4RF-S2VM	49
Honeywell	XLSG4RF-S7VM	49
Honeywell	XLSG4R-S2VM	49
Honeywell	XLSG4R-S7VM	49
Honeywell	XLSG4-S2VM	49

Manufacturer	Model	Max. [1]
Honeywell	XLSG4-S7VM	49
Honeywell	XLSGCF-HDVM	40
Honeywell	XLSGCF-HDVMH	14
Honeywell	XLSGCF-S2VM	51
Honeywell	XLSGCF-S2VMH	15
Honeywell	XLSGCF-S7VM	51
Honeywell	XLSGCF-S7VMH	15
Honeywell	XLSGCF-VM	51
Honeywell	XLSGCF-VMH	15
Honeywell	XLSGC-HDVM	40
Honeywell	XLSGC-HDVMH	14
Honeywell	XLSGC-S2VM	51
Honeywell	XLSGC-S2VMH	15
Honeywell	XLSGC-S7VM	51
Honeywell	XLSGC-S7VMH	15
Honeywell	XLSGC-VM	51
Honeywell	XLSGC-VMH	15
Mirtone	4MS-3AR	36
Mirtone	4MS-3AW	36
Mirtone	4MS-5AR	46
Mirtone	4MS-5AW	46
Mirtone	4MS-6AR	20
Mirtone	4MS-6AW	20
Mirtone	4MS-7AR	35
Mirtone	4MS-7AW	35
Mirtone	4MS-8AR	17
Mirtone	4MS-8AW	17
Mirtone	74328U	41
Mirtone	74330U	41
Mirtone	74339U	21
Mirtone	BS-3AR	36
Mirtone	BS-5AR	46
Mirtone	BS-7AR	35
Mirtone	BS-8AR	17
Mirtone	CSS2-3A8R	36
Mirtone	CSS2-3A8S	36
Mirtone	CSS2-5A8R	46
Mirtone	CSS2-5A8S	46
Mirtone	CSS2-7A8R	35
Mirtone	CSS2-7A8S	35
Mirtone	CSS2-8A8R	17

Manufacturer	Model	Max. [1]
Mirtone	CSS2-8A8S	17
Mirtone	CSS7-3A8R	36
Mirtone	CSS7-3A8S	36
Mirtone	CSS7-5A8R	46
Mirtone	CSS7-5A8S	46
Mirtone	CSS7-7A8R	35
Mirtone	CSS7-7A8S	35
Mirtone	CSS7-8A8R	17
Mirtone	CSS7-8A8S	17
Mirtone	GSA-AB4G	67
Mirtone	INT-3AR	36
Mirtone	INT-3AR2	36
Mirtone	INT-3AR2W	36
Mirtone	INT-3ARW	36
Mirtone	INT-7AR	35
Mirtone	INT-7AR2	35
Mirtone	INT-7AR2W	35
Mirtone	INT-7ARW	35
Mirtone	INT-7AT	35
Mirtone	INT-7ATW	35
Mirtone	INT-8AR	17
Mirtone	INT-8AR2	17
Mirtone	INT-8AR2W	17
Mirtone	INT-8ARW	17
Mirtone	INT-8AT	15
Mirtone	INT-8ATW	15
Mirtone	INT-T	87
Mirtone	INT-TW	87
Mirtone	MG1-C	81
Mirtone	MG1-CVM	38
Mirtone	MG1F-C	81
Mirtone	MG1F-CVM	38
Mirtone	MG1F-HD	85
Mirtone	MG1F-HDVM	39
Mirtone	MG1F-P	269
Mirtone	MG1F-VM	54
Mirtone	MG1-HD	85
Mirtone	MG1-HDVM	39
Mirtone	MG1M	1
Mirtone	MG1M-RM	1
Mirtone	MG1-P	269

Manufacturer	Model	Max. [1]
Mirtone	MG1R-C	81
Mirtone	MG1R-CVM	38
Mirtone	MG1RF-C	81
Mirtone	MG1RF-CVM	38
Mirtone	MG1RF-HD	85
Mirtone	MG1RF-HDVM	39
Mirtone	MG1RF-P	269
Mirtone	MG1RF-VM	54
Mirtone	MG1R-HD	85
Mirtone	MG1R-HDVM	39
Mirtone	MG1R-P	269
Mirtone	MG1R-VM	54
Mirtone	MG1-VM	54
Mirtone	MG4F-S2VM	49
Mirtone	MG4F-S7VM	49
Mirtone	MG4RF-S2VM	49
Mirtone	MG4RF-S7VM	49
Mirtone	MG4R-S2VM	49
Mirtone	MG4R-S7VM	49
Mirtone	MG4-S2VM	49
Mirtone	MG4-S7VM	49
Mirtone	MGCF-HDVM	40
Mirtone	MGCF-HDVMH	14
Mirtone	MGCF-S2VM	51
Mirtone	MGCF-S2VMH	15
Mirtone	MGCF-S7VM	51
Mirtone	MGCF-S7VMH	15
Mirtone	MGCF-VM	51
Mirtone	MGCF-VMH	15
Mirtone	MGC-HDVM	40
Mirtone	MGC-HDVMH	14
Mirtone	MGC-S2VM	51
Mirtone	MGC-S2VMH	15
Mirtone	MGC-S7VM	51
Mirtone	MGC-S7VMH	15
Mirtone	MGC-VM	51
Mirtone	MGC-VMH	15
Mirtone	MS-7AR	35
Mirtone	MS-7AW	35
Mirtone	MS-8AR	17
Mirtone	MS-8AW	17

Manufacturer	Model	Max. [1]
Siemens	G1-C-LG	81
Siemens	G1-CVM-LG	38
Siemens	G1F-C-LG	81
Siemens	G1F-CVM-LG	38
Siemens	G1F-HD-LG	85
Siemens	G1F-HDVM-LG	39
Siemens	G1F-P-LG	269
Siemens	G1F-VM-LG	54
Siemens	G1-HD-LG	85
Siemens	G1-HDVM-LG	39
Siemens	G1M-LG	1
Siemens	G1M-RM-LG	1
Siemens	G1-P-LG	269
Siemens	G1R-C-LG	81
Siemens	G1R-CVM-LG	38
Siemens	G1RF-C-LG	81
Siemens	G1RF-CVM-LG	38
Siemens	G1RF-HD-LG	85
Siemens	G1RF-HDVM-LG	39
Siemens	G1RF-P-LG	269
Siemens	G1RF-VM-LG	54
Siemens	G1R-HD-LG	85
Siemens	G1R-HDVM-LG	39
Siemens	G1R-P-LG	269
Siemens	G1R-VM-LG	54

Manufacturer	Model	Max. [1]
Siemens	G1-VM-LG	54
Siemens	G4F-S2VM-LG	49
Siemens	G4F-S7VM-LG	49
Siemens	G4RF-S2VM-LG	49
Siemens	G4RF-S7VM-LG	49
Siemens	G4R-S2VM-LG	49
Siemens	G4R-S7VM-LG	49
Siemens	G4-S2VM-LG	49
Siemens	G4-S7VM-LG	49
Siemens	GCF-HDVMH-LG	14
Siemens	GCF-HDVM-LG	40
Siemens	GCF-S2VMH-LG	15
Siemens	GCF-S2VM-LG	51
Siemens	GCF-S7VMH-LG	15
Siemens	GCF-S7VM-LG	51
Siemens	GCF-VMH-LG	15
Siemens	GCF-VM-LG	51
Siemens	GC-HDVMH-LG	14
Siemens	GC-HDVM-LG	40
Siemens	GC-S2VMH-LG	15
Siemens	GC-S2VM-LG	51
Siemens	GC-S7VMH-LG	15
Siemens	GC-S7VM-LG	51
Siemens	GC-VMH-LG	15
Siemens	GC-VM-LG	51

[1] Maximum number of appliances per NAC

Legacy notification appliances

Manufacturer	Models					
ADT	ADTG1F-HO	ADTG1F-V60	ADTG1-HV15	ADTG1RF-HOV75	ADTG1R-HOV15	ADTG1R-V15
	ADTG1F-HOV110	ADTG1F-V75	ADTG1-HV30	ADTG1RF-V110	ADTG1R-HOV30	ADTG1R-V30
	ADTG1F-HOV15	ADTG1-H	ADTG1-HV60	ADTG1RF-V15	ADTG1R-HOV60	ADTG1R-V60
	ADTG1F-HOV30	ADTG1-HO	ADTG1-HV75	ADTG1RF-V30	ADTG1R-HOV75	ADTG1R-V75
	ADTG1F-HOV60	ADTG1-HOV110	ADTG1RF-HO	ADTG1RF-V60	ADTG1R-HV15	ADTG1-V110
	ADTG1F-HOV75	ADTG1-HOV15	ADTG1RF-HOV110	ADTG1RF-V75	ADTG1R-HV30	ADTG1-V15
	ADTG1F-V110	ADTG1-HOV30	ADTG1RF-HOV15	ADTG1R-H	ADTG1R-HV60	ADTG1-V30
	ADTG1F-V15	ADTG1-HOV60	ADTG1RF-HOV30	ADTG1R-HO	ADTG1R-HV75	ADTG1-V60
	ADTG1F-V30	ADTG1-HOV75	ADTG1RF-HOV60	ADTG1R-HOV110	ADTG1R-V110	ADTG1-V75
EST	202-15PS	757-1A-S25	757-8A-CS	922-1B-222	G1F-HOV60	G1RF-V30
	202-15PSW	757-1A-S25W	757-8A-CSW	96 5-7A-4RW	G1F-HOV75	G1RF-V60
	202-3A-T	757-1A-S70	757-8A-SS25	964-1A-4RR	G1F-V110	G1RF-V75
	202-3A-TW	757-1A-S70W	757-8A-SS25W	964-1A-4RW	G1F-V15	G1R-H
	202-5A-T	757-3A-CS	757-8A-SS70	964-3A-4RR	G1F-V30	G1R-HO
	202-5A-TW	757-3A-CSW	757-8A-SS70W	964-3A-4RW	G1F-V60	G1R-HOV110
	202-6A-T	757-3A-SS25	757H-15PS	964-5A-4RR	G1F-V75	G1R-HOV15
	202-6A-TW	757-3A-SS25W	757H-15PSW	964-5A-4RW	G1-H	G1R-HOV30
	202-75PS	757-3A-SS70	757H-75PS	964-7A-4RR	G1-HO	G1R-HOV60
	202-75PSW	757-3A-SS70W	757H-75PSW	964-7A-4RW	G1-HOV110	G1R-HOV75
	405-15PS	757-3A-T	757S2-15PS	964-8A-4RR	G1-HOV15	G1R-HV15
	405-15PSW	757-3A-TW	757S2-15PSW	964-8A-4RW	G1-HOV30	G1R-HV30
	405-75PS	757-5A-CS	757S2-75PS	965-1A-4RR	G1-HOV60	G1R-HV60
	405-75PSW	757-5A-CSW	757S2-75PSW	965-1A-4RW	G1-HOV75	G1R-HV75
	682-1A-HR	757-5A-SS25	757S7-15PS	965-3A-4RR	G1-HV15	G1R-V110
	682-1A-HW	757-5A-SS25W	757S7-15PSW	965-3A-4RW	G1-HV30	G1R-V15
	692-3A-HSR	757-5A-SS70	757S7-75PS	965-5A-4RR	G1-HV60	G1R-V30
	692-3A-HSW	757-5A-SS70W	757S7-75PSW	965-5A-4RW	G1-HV75	G1R-V60
	692-5A-HSR	757-5A-T	860-E5	965-7A-4RR	G1RF-HO	G1R-V75
	692-5A-HSW	757-5A-TW	860-FA	965-8A-4RR	G1RF-HOV110	G1-V110
	692-7A-HSR	757-7A-CS	862-E5	965-8A-4RW	G1RF-HOV15	G1-V15
	692-7A-HSW	757-7A-CSW	862-FA	97DEXC-GW	G1RF-HOV30	G1-V30
	692-8A-HSR	757-7A-SS25	864-E5	G1F-HO	G1RF-HOV60	G1-V60
	692-8A-HSW	757-7A-SS25W	864-FA	G1F-HOV110	G1RF-HOV75	G1-V75
	757-1A-C	757-7A-SS70	866-E5	G1F-HOV15	G1RF-V110	RICS405-8A-T
	757-1A-CW	757-7A-SS70W	866-FA	G1F-HOV30	G1RF-V15	SIGA-AB4
	EST (Edwards)	439D-8AW	439D-8AW-R	5524D-AW	5525D-AW	5530BD-AW
Honeywell	XLS202-5A-T	XLS757-5A-SS70	XLS964-3A-4RR	XLSG1F-HO	XLSG1-HV15	XLSG1R-HOV15
	XLS202-5A-TW	XLS757-5A-SS70W	XLS964-3A-4RW	XLSG1F-HOV110	XLSG1-HV30	XLSG1R-HOV30
	XLS757-1A-C	XLS757-5A-T	XLS964-5A-4RR	XLSG1F-HOV15	XLSG1-HV60	XLSG1R-HOV60
	XLS757-1A-CW	XLS757-5A-TW	XLS964-5A-4RW	XLSG1F-HOV30	XLSG1-HV75	XLSG1R-HOV75
	XLS757-1A-S25	XLS757-7A-CS	XLS964-7A-4RR	XLSG1F-HOV60	XLSG1RF-HO	XLSG1R-HV15
	XLS757-1A-S25W	XLS757-7A-CSW	XLS964-7A-4RW	XLSG1F-HOV75	XLSG1RF-HOV11	XLSG1R-HV30
	XLS757-1A-S70	XLS757-7A-SS25	XLS964-8A-4RR	XLSG1F-V110	XLSG1RF-HOV15	XLSG1R-HV60
	XLS757-1A-S70W	XLS757-7A-SS25W	XLS964-8A-4RW	XLSG1F-V15	XLSG1RF-HOV30	XLSG1R-HV75
	XLS757-3A-CS	XLS757-7A-SS70	XLS965-1A-4RR	XLSG1F-V30	XLSG1RF-HOV60	XLSG1R-V110
	XLS757-3A-CSW	XLS757-7A-SS70W	XLS965-1A-4RW	XLSG1F-V60	XLSG1RF-HOV75	XLSG1R-V15
	XLS757-3A-SS25	XLS757-8A-CS	XLS965-3A-4RR	XLSG1F-V75	XLSG1RF-V110	XLSG1R-V30
	XLS757-3A-SS25W	XLS757-8A-CSW	XLS965-3A-4RW	XLSG1-H	XLSG1RF-V15	XLSG1R-V60
	XLS757-3A-SS70	XLS757-8A-SS25	XLS965-5A-4RR	XLSG1-HO	XLSG1RF-V30	XLSG1R-V75
	XLS757-3A-SS70W	XLS757-8A-SS25W	XLS965-5A-4RW	XLSG1-HOV110	XLSG1RF-V60	XLSG1-V110
	XLS757-5A-CS	XLS757-8A-SS70	XLS965-7A-4RR	XLSG1-HOV15	XLSG1RF-V75	XLSG1-V15
	XLS757-5A-CSW	XLS757-8A-SS70W	XLS965-7A-4RW	XLSG1-HOV30	XLSG1R-H	XLSG1-V30
	XLS757-5A-SS25	XLS964-1A-4RR	XLS965-8A-4RR	XLSG1-HOV60	XLSG1R-HO	XLSG1-V60
	XLS757-5A-SS25W	XLS964-1A-4RW	XLS965-8A-4RW	XLSG1-HOV75	XLSG1R-HOV110	XLSG1-V75
Mirtone	74331U	INT-3ACW	INT-8AS2W	MG1F-HOV75	MG1RF-V15	MG1-V75
	74333U	INT-3AS	INT-8ASW	MG1F-V110	MG1RF-V30	MH-1AR
	CS2-1A4R	INT-3AS2	INT-C	MG1F-V15	MG1RF-V60	MH-1AW
	CS2-1A4RR	INT-3AS2W	INT-CW	MG1F-V30	MG1RF-V75	MHS-3AR
	CS7-1A4R	INT-3ASW	INTH-15PSW	MG1F-V60	MG1R-H	MHS-3AW
	CS7-1A4RR	INT-3AT	INTH-75PS	MG1F-V75	MG1R-HO	MHS-5AR
	CSS2-3A4R	INT-3ATW	INTH-75PSW	MG1-H	MG1R-HOV110	MHS-5AW
	CSS2-3A4RR	INT-5AC	INT-S	MG1-HO	MG1R-HOV15	MHS-7AR

Manufacturer	Models					
	CSS2-5A4R	INT-5ACW	INT-S2	MG1-HOV110	MG1R-HOV30	MHS-7AW
	CSS2-5A4RR	INT-5AS	INTS2-15PS	MG1-HOV15	MG1R-HOV60	MHS-8AR
	CSS2-7A4R	INT-5AS2	INTS2-15PSW	MG1-HOV30	MG1R-HOV75	MHS-8AW
	CSS2-7A4RR	INT-5AS2W	INTS2-75PS	MG1-HOV60	MG1R-HV15	MS-120R
	CSS2-8A4R	INT-5ASW	INTS2-75PSW	MG1-HOV75	MG1R-HV30	MS-120W
	CSS2-8A4RR	INT-5AT	INT-S2W	MG1-HV15	MG1R-HV60	MS-15PS
	CSS7-3A4R	INT-5ATW	INTS7-15PS	MG1-HV30	MG1R-HV75	MS-15PSW
	CSS7-3A4RR	INT-7AC	INTS7-15PSW	MG1-HV60	MG1R-V110	MS-3AR
	CSS7-5A4R	INT-7ACW	INTS7-75PS	MG1-HV75	MG1R-V15	MS-3AW
	CSS7-5A4RR	INT-7AS	INTS7-75PSW	MG1RF-HO	MG1R-V30	MS-5AR
	CSS7-7A4R	INT-7AS2	INT-SW	MG1RF-HOV110	MG1R-V60	MS-5AW
	CSS7-7A4RR	INT-7AS2W	MG1F-HO	MG1RF-HOV15	MG1R-V75	MS-6AR
	CSS7-8A4R	INT-7ASW	MG1F-HOV110	MG1RF-HOV30	MG1-V110	MS-6AW
	CSS7-8A4RR	INT-8AC	MG1F-HOV15	MG1RF-HOV60	MG1-V15	MS-75PS
	GSA-AB4	INT-8ACW	MG1F-HOV30	MG1RF-HOV75	MG1-V30	MS-75PSW
	INT-3AC	INT-8AS	MG1F-HOV60	MG1RF-V110	MG1-V60	NT-8AS2 NTH-15PS
Siemens	G1F-HO-LG	G1F-V60-LG	G1-HV15-LG	G1RF-HOV75-LG	G1R-HOV15-LG	G1R-V15-LG
	G1F-HOV110-LG	G1F-V75-LG	G1-HV30-LG	G1RF-V110-LG	G1R-HOV30-LG	G1R-V30-LG
	G1F-HOV15-LG	G1-H-LG	G1-HV60-LG	G1RF-V15-LG	G1R-HOV60-LG	G1R-V60-LG
	G1F-HOV30-LG	G1-HO-LG	G1-HV75-LG	G1RF-V30-LG	G1R-HOV75-LG	G1R-V75-LG
	G1F-HOV60-LG	G1-HOV110-LG	G1RF-HO-LG	G1RF-V60-LG	G1R-HV15-LG	G1-V110-LG
	G1F-HOV75-LG	G1-HOV15-LG	G1RF-HOV110-LG	G1RF-V75-LG	G1R-HV30-LG	G1-V15-LG
	G1F-V110-LG	G1-HOV30-LG	G1RF-HOV15-LG	G1R-H-LG	G1R-HV60-LG	G1-V30-LG
	G1F-V15-LG	G1-HOV60-LG	G1RF-HOV30-LG	G1R-HO-LG	G1R-HV75-LG	G1-V60-LG
	G1F-V30-LG	G1-HOV75-LG	G1RF-HOV60-LG	G1R-HOV110-LG	G1R-V110-LG	G1-V75-LG

Compatible accessories

Agency	Manufacturer	Model	Description
ULC	Edwards	1598D-1FG1	One-face English fire sign
ULC	Edwards	1598D-2FG1	Two-face English fire sign
ULC	Edwards	1598D-F1FG1	One-face French fire sign
ULC	Edwards	1598D-F2FG1	Two-face French fire sign
UL, ULC	Edwards	6254A-003	Fire alarm/power integrity monitoring relay
ULC	Edwards	7651-9	Corridor lamp, red
ULC	Edwards	7651-AQ	Corridor lamp, red
UL	Air Products & Control, Ltd.	MR-101/C	1-SPDT relay with LED
UL	Air Products & Control, Ltd.	MR-101/T	1-SPDT relay with LED
UL	Air Products & Control, Ltd.	MR-104/C	4-SPDT relay with LEDs
UL	Air Products & Control, Ltd.	MR-104/T	4-SPDT relay with LEDs
UL	Air Products & Control, Ltd.	MR-201/C	1-DPDT relay with LED
UL	Air Products & Control, Ltd.	MR-201/T	1-DPDT relay with LED
UL	Air Products & Control, Ltd.	MR-204/C	4-DPDT relay with LEDs
UL	Air Products & Control, Ltd.	MR-204/T	4-DPDT relay with LEDs
UL	Air Products & Control, Ltd.	PAM-1	1-SPDT with LED, adhesive mounting

Compatible Genesis devices (UL and ULC) [1]

G1T	G4RF-S2	WG4RF-H	WG4WF-H
G1T-FIRE	G4RF-S7	WG4RF-HVMC	WG4WF-HVMC
G4B	G4R-S2	WG4RF-HVMHC	WG4WF-HVMHC
G4F-S2	G4R-S7	WG4RN-H	WG4WN-H
G4F-S7	G4-S2	WG4RN-HVMC	WG4WN-HVMC
G4RB	G4-S7	WG4RN-HVMHC	WG4WN-HVMHC

[1] When metallic conductors are installed that extend beyond one building, the circuit(s) are *required* to be protected with UL497B listed transient protectors with the appropriate voltage ratings for the circuit being protected. When notification appliances are installed outside of a building (e.g., mounted on an exterior wall) and are connected to an interior circuit that may not have transient protection, it is *recommended* that these circuits also be protected with UL497B listed transient protection with the appropriate voltage ratings for the circuit being protected. Consult applicable codes for further information.

Compatible Genesis devices (ULC)

CGC-S2VM	CGC-S2VMH	CG4-S2VM	CG4R-S2VM
CGC-S7VM	CGC-S7VMH	CG4-S7VM	CG4R-S7VM
CGCF-S2VM	CGCF-S2VMH	CG4F-S2VM	CG4RF-S2VM
CGCF-S7VM	CGCF-S7VMH	CG4F-S7VM	CG4RF-S7VM

Compatible Genesis outdoor devices (UL) [1]

WG4RF-SVMC	WG4RN-SVMC	WG4WA-SVMC	WG4WF-SVMC	WG4WN-SVMC
WG4RF-SVMHC	WG4RN-SVMHC	WG4WA-SVMHC	WG4WF-SVMHC	WG4WN-SVMHC

[1] When metallic conductors are installed that extend beyond one building, the circuit(s) are *required* to be protected with UL497B listed transient protectors with the appropriate voltage ratings for the circuit being protected. When notification appliances are installed outside of a building (e.g., mounted on an exterior wall) and are connected to an interior circuit that may not have transient protection, it is *recommended* that these circuits also be protected with UL497B listed transient protection with the appropriate voltage ratings for the circuit being protected. Consult applicable codes for further information.

3-MODCOM compatible CMS receivers

Format	Manufacturer	Model	Receiver card	Agency
Contact ID	Ademco	685	685-8	UL, ULC
	Keltron	DMP703		UL
	MCDI	TLR, TLR +		UL, ULC
	Radionics	D6600	9032	UL, ULC
	Silent Knight	9000		UL
	Sur-Gard	MLR2, SG-SLR, SG-System III		UL, ULC
SIA P2 (3/1) and SIA P3 (4/2)	Ademco	685	685-1 or 685-8	UL, ULC
	FBI	CP220		UL, ULC
	MCDI	TLR, TLR +	9032	UL, ULC
	Radionics	D6600		UL, ULC
	Silent Knight	9000		UL
	Sur-Gard	MLR2, SG-SLR		UL, ULC
SIA DCS	Sur-Gard	MLR2, SG-SLR		UL, ULC

Contact information

For contact information, see www.est-fire.com.

Copyright © 2014 UTC Fire & Security Americas Corporation, Inc.

All rights reserved.