


## Trove2 (Enclosure)

Access & Power Integration Solutions



Altronix Trove2 can house Altronix backplanes which accommodate various combinations of access controllers and accessories from the industry's leading manufacturers with or without Altronix power supplies and accessories for access systems. Trove systems simplify board layout and wire management, reducing installation time and labor costs.



Trove2

### Specifications

#### Features

- 16 AWG powder coated steel
- Convenient knockout configuration:
  - One (1) single knockout 2.415" (2" Conduit)
  - Sixteen (16) double knockouts  
1.362" (1" Conduit) / 1.115" (3/4" Conduit)
- Includes cam lock, tamper switch and mounting hardware

#### Agency Listings

- UL: UL 294 Access Control Unit Accessory Enclosure  
cUL: cUL Listed For CSA Standard C22.2 No.205-M1983,  
Signal Equipment  
CE European Conformity

#### Capacity

- Accommodates up to four (4) 12VDC/7AH batteries

#### Physical and Environmental

##### Dimensions (H x W x D)

Enclosure:  
27.25" x 21.5" x 6.5" (692mm x 546mm x 165mm)

Shipping:  
32.5" x 26.5" x 11.125" (826mm x 673mm x 283mm)

Product Weight 29.1 lb. (13.2 kg)

Shipping Weight 35.1 lb. (15.9 kg)

### Optional Backplanes

| Backplane Model | Backplane with Enclosure Model | Manufacturer                  | Dimensions (H x W x D)                                   |
|-----------------|--------------------------------|-------------------------------|--|
| TAG2            | TROVE2AG2                      | AMAG M4000                    | 25.375" x 19.375" x 0.3125"<br>(644.5mm x 492.1mm x 8mm) |
| TAM2            | TROVE2AM2                      | AMAG M2510                    |  |
| TBH2            | TROVE2BH2                      | Bosch                         |  |
| TBL2            | TROVE2BL2                      | Universal Blank Backplane     |  |
| TCV2            | TROVE2CV2                      | CDVI                          |  |
|                 | TROVE2PH2                      | Openpath                      |  |
| TDM2            | TROVE2DM2                      | DMP Wiegand                   |  |
| TDR2            | TROVE2DR2                      | DIN Rail                      |  |
| THC2            | TROVE2HC2                      | Hartmann                      |  |
| THN2            | TROVE2HN2                      | Honeywell NetAXS              |  |
| THW2            | TROVE2HW2                      | Honeywell ProWatch and WinPak |  |
| TKA2            | TROVE2KA2                      | Keyscan                       |  |
| TKH2            | TROVE2KH2                      | Kantech                       |  |
| TKS2            | TROVE2KS2                      | Keri Systems                  |  |
| TM2             | TROVE2M2                       | Mercury                       |  |
| TPX2            | TROVE2PX2                      | Paxton Net2 Plus and Paxton10 |  |
| TSA2            | TROVE2SA2                      | Salto                         |  |
| TSH2            | TROVE2SH2                      | Software House Pro and Ultra  |  |
| TSL2            | TROVE2SL2                      | Sielox                        |  |
| TSS2            | TROVE2SS2                      | LenelS2 NetBox                |  |
| TV2             | TROVE2V2                       | HID Vertx / HID Aero          |  |
| TZ2             | TROVE2Z2                       | ZKTeco                        |  |

### Optional Door Backplanes

| Backplane Model | Manufacturer                                      | Dimensions (H x W x D)                                  |
|-----------------|---|---|
| TBHD2           | Altronix, Bosch                                   | 23.75" x 18.125" x 0.3125"<br>(603.3mm x 460.4mm x 8mm) |
| TDMD2           | DMP Control Panels, Expansion and Wiegand Modules |   |
| THWD2           | Honeywell ProWatch and WinPak                     |   |
| TMV2            | Altronix, Mercury and HID Vertx / HID Aero        |   |

### Dimensions and Drawing

Dimensions (H x W x D approximate)  
27.25" x 21.5" x 6.5" (692.2mm x 546.1mm x 165.1mm)

