

MODELS TS-30, TS-30-2

REQUEST TO EXIT STATIONS



- TS-30 is SPDT
- TS-30-2 is DPDT
- Large LED Illuminated Green Button Operates on 12 or 24 Volts AC or DC
- Momentary Action Switch
- Contacts rated 10A @ 35VDC
- Switch mounted on a single gang stainless steel electrical plate
- Assembled from UL approved components




Alarm Controls
19 Brandywine Drive
Deer Park, New York 11729
(800) 645-5538
www.alarmcontrols.com



**ASSA ABLOY, the global leader
in door opening solutions**

INSTALLATION INSTRUCTIONS MODEL TS-30



Switch Contacts rated 10A @35VDC

Pushbutton Illumination LED operates on 12 to 24 VDC

Pushbutton Illumination LED Current Draw -


4mA @12VDC

15mA @ 24VDC



Alarm Controls
19 Brandywine Drive
Deer Park, New York 11729
(800) 645-5538
www.alarmcontrols.com

INSTALLATION INSTRUCTIONS MODEL TS-30-2



Switch Contacts rated 10A @35VDC

Pushbutton Illumination LED operates on 12 to 24 VDC or VAC

Pushbutton Illumination LED Current Draw -

4mA @12VDC

15mA @ 24VDC



Alarm Controls
19 Brandywine Drive
Deer Park, New York 11729
(800) 645-5538
www.alarmcontrols.com