



BROOKS
EQUIPMENT

SERVICE EQUIPMENT



10



HP2



HP1



HPH



HP3



TP5R



KC1



50ABCUCL



50BCPAIL



AX506B2



AX5302

HOLE PUNCHES AND CHAIN REEL

HOLE PUNCHES make a $\frac{1}{8}$ " round hole and come with clipping receptacles. The **HP1** is light-duty, punching a single paper tag or label. The **HP2** is medium-duty, for more frequent punching of single paper tags and labels. **Ergodyne's HOLE PUNCH HOLSTER (HPH)** features ballistic nylon construction, a stainless steel clip, and two pen/pencil pockets, and it fits most hole punches and utility knives. **NOTE:** For punching multiple paper, metal, and plastic tags as well as molded service collars, etc., please use our **HP3** or **TP5R** punches.

P/N	DESCRIPTION
HP1	Light-Duty Punch w/ 1" Reach
HP2	Medium-Duty Punch w/ 2" Reach
HPH	Hole Punch Holster, 9"L x 2"W x 1"D

HEAVY-DUTY/INDUSTRIAL HOLE PUNCHES can punch more than one tag at a time. The **HP3** has a 2" reach and a clipping receptacle, while the **TP5R** has a 1" reach. Both punch $\frac{1}{8}$ " round holes and are ideal for punching **Verification of Service Collars**.

P/N	DESCRIPTION
HP3	Industrial Punch
TP5R	Heavy-Duty Punch

The **CHAIN REEL** is a great way to keep track of hole punches, keys, system service pins, and more.

P/N	DESCRIPTION
KC1	Chain Reel

RECHARGE CHEMICAL

UL CLASSIFIED UNIVERSAL DRY CHEMICAL comes in 50 lb pails for use in many manufacturers' fire extinguishers (per NFPA 10).

P/N	DESCRIPTION
50ABCUCL	UL ABC Dry Chemical

UNIVERSAL RECHARGE DRY CHEMICAL in 50 lb pails.

P/N	DESCRIPTION
50BCPAIL	BC Dry Chemical
50PKPAIL	PK Dry Chemical
50DPAIL	Class D Dry Powder (Sodium Chloride)
→	OEM DRY CHEMICAL Available on page 24.

OEM LIQUID CHEMICAL CHARGES

P/N	DESCRIPTION
AX502AR	Amerex AR-AFFF Recharge, 23 oz For 6 L & 2.5 gal Extinguishers, Models 250, 252, 254, 250CG
AX506B2	Amerex Antifreeze Charge, Pkg/2 For 2.5 gal Loaded Stream Extinguishers
AX5302	Amerex Recharge, 6 L, Pkg/2 For AX260
AX660	Amerex Recharge, 2.5 gal, Pkg/2 For AX262
AC100	Badger Recharge, 6 L, Pkg/2 For WC100
AC250	Badger Recharge, 2.5 gal For WC250
A430182	Ansul PRX Liquid Agent, 6 L For K-Guard & Piranha, (K01, K01-1)
A423320	Ansul PRX Liquid Agent, 5 gal For K-Guard & Piranha, (K01, K01-1)
BK600872	Buckeye Recharge, 6 L

FireTech's EZ-FILL SIPHON is not only easy but fast—transferring up to 3.5 gal of liquid per minute. The 6' clear hose is durable, flexible, non-toxic, and has a copper nipple that is anti-static and anti-spark for safety. Use it to transfer liquids, including fuels, oils, water, paint, and more. To operate, make sure the liquid to be transferred is higher than the empty container. Submerge the **EZ-Fill Siphon** and shake it to start the transfer.

P/N	DESCRIPTION
EZFILL	EZ-Fill Siphon



EZFILL In Use



EZFILL

FUNNELS, SCOOPS, AND AIR HOSE

The retracting **Brooks AIR HOSE REEL** is long lasting, thanks to the top-quality materials that go into making it. Made of steel, it is covered in a corrosion-resistant powder coating for extra-long life. It comes with 50' of $\frac{3}{8}$ " rubber hose and includes a multi-position ratchet lock, tension adjustment, and a full-flow swivel that prevents leakage. A guide arm cuts down on hose wear and tear plus, with nine adjustable positions, the reel can be mounted on the ceiling, floor, or wall. 300 psi.

P/N	DESCRIPTION
AHR50	Air Hose Reel w/ 50' Hose



AHR50

COILED AIR HOSES are for blowing out valves, cleaning off work areas, etc. **CH** models are permanently coiled hoses, made from abrasion resistant nylon and fitted with brass fittings. **AHC** models feature flexible polyurethane hose with swivel brass fittings. Hoses come standard with $\frac{1}{4}$ " NPT(M) fittings on both ends.

NOTE: Do not use for recharge line!

P/N	DESCRIPTION
CH12	Coiled Hose, 12', Yellow
CH25	Coiled Hose, 25', Yellow
AHC12	Coiled Hose, 12', Orange
AHC25	Coiled Hose, 25', Orange




CH25



AD31



AHC12



SBG1



QDC

The **BLOW GUN** setup is ideal for blowing out valves, cleaning work areas, etc.

P/N	DESCRIPTION
SBG1	Safety Blow Gun
AD31	$\frac{1}{4}$ " Quick Disconnect Recharge Adapter
QDC	Quick Disconnect Coupler

FILLING FUNNELS are made of durable galvanized steel with two different heavy-duty mesh screens, properly sized and spaced. The screens eliminate clogging and jamming of the funnel. Available in three sizes.

P/N	DESCRIPTION	H X DIA X OD TIP
FF1	Small Funnel	15" x 6" x $\frac{3}{4}$ "
FF2	Large Funnel	13" x 10" x $1\frac{1}{8}$ "
FF3	Large Neck Funnel	10" x 10" x $2\frac{1}{4}$ "



FF1



FF2



FF3



NAS2



PLO

Aluminum **SCOOPS** are perfect for filling dry chemical fire extinguishers.

P/N	DESCRIPTION
NAS1	Scoop, 24 oz
NAS2	Scoop, 38 oz

Aluminum **PAIL OPENER** opens dry chemical pails quickly and easily without harming lids.

P/N	DESCRIPTION
PLO	Pail Opener



VF50

RECHARGE EQUIPMENT

Getz VACU-FILL SYSTEMS are available with 50 and 100 lb-capacity hoppers. They feature single-valve control consoles, filling lines, discharge assemblies, discharge screens, and powder recovery lids and operate on air or nitrogen at 60–80 psi, 1–2 cfm.

P/N	DESCRIPTION	H X W X D
VF50	50 lb Dry Chemical Filling System	25 ¹ / ₄ " x 13" x 17"
VF100D	100 lb Dry Chemical Filling System	31" x 20" x 15"
51221GZ	Fill Cone	
	Fits Vacu-Fill & EZ20 Systems	
51222GZ	Wheeled Unit Fill Cone	
1G0067GZ	Overflow Filter	
	Fits Vacu-Fill & EZ20 Systems	
1G0205GZ	Overflow Jar Gasket	
	Fits Vacu-Fill & EZ20 Systems	
1G0018GZ	Vacuum Gauge, 30" Hg	
51436GZ	Overflow Jar	
	Fits Vacu-Fill & EZ20 Systems	
1G54040GZ	Hopper Lid Filter, 100 & 150 lb	
3G0151GZ	Venturi Tee 50, 100, & 150 lb	
1G54039GZ	Hopper Lid Filter, 50 lb	
58900GZ	Maintenance Kit	
	For VF100D & VF150D	
58901GZ	Maintenance Kit	
	For VF50	
DDP59439GZ	Hopper Bucket Attachment	
	For Filling	

Getz PLASTIC DRY CHEMICAL FILLING SYSTEMS

features high-density polyethylene hoppers and stands that will not rust. Hoppers are translucent, making it easy to see the chemical levels. They are air injected as well, to "fluff" the chemical. Other features include easy-to-operate toggle switches and trouble-free On/Off lids and filters.

P/N	DESCRIPTION
3G0050GZ	100 lb Dry Chemical Filling System, Yellow
3G0031GZ	150 lb ABC Dry Chemical Filling System, Yellow
3G0116GZ	Single 450 lb ABC Dry Chemical Filling System, Yellow
	For Portables Only
3G0070GZ	Single 450 lb BC Dry Chemical Filling Systems, White
	For Wheeled Units Only
3G0066GZ	Dual 450 lb ABC Dry Chemical Filling System, Yellow
	For Portables Only
3G0061GZ	Dual 450 lb ABC Dry Chemical Filling Systems, Yellow
	For Portables & Wheeled Units
3G0045GZ	Dry Chemical Reclaim Assembly w/ 6 Lids
DCACS	Dry Chemical Adapter & Coupling Set
	For Getz Systems Dry Chemical Filling



51221GZ



1G0067GZ



3G0151GZ



58900GZ



3G0050GZ



3G0061GZ

These environmentally friendly **CLEAN AGENT RECOVERY SYSTEMS**, from **Getz**, transfer liquid agents and vapor while filtering particulate matter. They indicate moisture content and come with air-driven pumps, heavy-duty frames and consoles, and powder-coated paint finishes. **3G59304GZ** meets and exceeds UL standard 2006, while **3G59304GZ** and **3G59751GZ** operate on compressed air (between 65–80 psi, at a minimum of 13 CFM). **3G59274GZ** also operates on compressed air (100–120 psi, at a minimum of 13CFM).

NOTE: Tanks not included.

P/N	DESCRIPTION
3G59304GZ	Halon 1211 Recovery System
3G59751GZ	Halotron I/FE-36 Recovery System
3G59274GZ	HFC-227 Recovery System
	Compatible w/ FE 25, FE 125, Halon 1301, FM 200, & Novec 1230

The **Getz SERVICE TRUCK DELUXE PACKAGE** includes the **VF50 Vacu-Fill** system, a nitrogen regulator, recharge line with quick coupling, recharge adapter kit, and a pail opener. 50 lb capacity.

P/N	DESCRIPTION
59350GZ	Service Truck Package

Made of aluminum, the **MECHANICAL BENCH VISE** comes standard with an easy-crank handwheel; belted, nonslip vise jaws, and an adjustable rear jaw. Perfect for the shop or job site.

P/N	DESCRIPTION	L X H X W
MBVD	Bench Vise	13" x 7" x 4"

The **Getz PNEUMATIC CYLINDER BENCH VISE** features aluminum construction with nonslip belting. Ideal for mobile or shop use, it operates on 60–80 psi and comes with an easy-to-operate pneumatic toggle switch.

P/N	DESCRIPTION	L X H X W
3G0037GZ	Pneumatic Cylinder Bench Vise	16" x 5" x 4"

The **SuperKan RECOVERY SYSTEM** is a quick, inexpensive way to empty portable dry chemical extinguishers. Constructed from brushed aluminum in an environmentally friendly design, this portable unit comes with a three-tier screen system and holds up to 30 lb of chemical.

P/N	DESCRIPTION
59377GZ	SuperKan
53329GZ	Filter
	For SuperKan
56251GZ	Rubber Assembly
	For SuperKan
53354GZ	Foam Seal

The **DCX 20 FILL SYSTEM** adds to or fills extinguishers (via gravity) in seconds. It comes with its own pail that changes out easily, thanks to a fast-connect clamp system. The can itself is constructed from spun aluminum with a white powder-coated finish and features a three-tier screen system that sifts the powder. A 1/2" valve holds the powder back until you are ready to dispense it.

P/N	DESCRIPTION
59341GZ	DCX 20 Extinguisher Filling System
1G0042GZ	Ball Valve, 1/4"
53343GZ	DCX 20 Clamp
53400GZ	20 lb Lid
53401GZ	20 lb Bucket
53433GZ	Rubber Seal Strip, 3 1/2"
59403GZ	Discharge Hose, 3' x 3/8"





BBAG In Use



PPB1 In Use

The easy-to-use **BLOW-OUT BAG** empties dry chemical extinguishers in seconds without a mess, saving time and money. Just place the nozzle or hose into the bag, hold it securely, and release the pressure slowly (until empty). A hook-and-loop closure across the bottom makes it easy to empty.

WARNING: DO NOT mix chemicals! Not recommended for reclaiming chemicals.

P/N	DESCRIPTION
BBAG	Blow-Out Bag



RM16



PPB1

The **POWDER PAIL BAG** controls the flow of powder, keeping dust to a minimum, and fills hoppers.

P/N	DESCRIPTION
PPB1	Powder Pail Bag

This 16 oz **RUBBER Mallet** “fluffs” chemical in cylinders and more.

P/N	DESCRIPTION
RM16	Rubber Mallet



GT11



RP9500

Disposable **DUST MASKS** block non-toxic dusts, powders, and pollen. They are lightweight with adjustable elastic head straps and metal-forming strips over the nose for comfort. Pkg/50.

P/N	DESCRIPTION
RP9500	Dust Masks

CYLINDER VALVE GUARD meets DOT, OSHA, and MSHA requirements. The **GT11** can be fitted and padlocked over a cylinder valve with the regulator attached, while the **CCAP** protects the cylinder valve only. Measures 3 1/8" x 11 tpi.

P/N	DESCRIPTION
GT11	Cylinder Valve Guard
CCAP	Cylinder Cap



SSPRCG1000



2550 In Use

The **RECHARGE GAUGE** features all-stainless, all-welded construction with only 1% fluctuation in accuracy. It includes a 3 1/2" dial and 1/4" NPT lower connection and has a range of 0–1000 psi in increments of 10 psi. Used to meet NFPA 10 requirements when pressurizing extinguishers. Re-calibratable.


P/N	DESCRIPTION
SSPRCG1000	Recharge Gauge
SSPRCG	Re-Calibration Service

The **2550 NITROGEN REGULATOR** setup is for recharging extinguishers. It has a spring-type (re-seating) safety relief, CGA580 inlet connection, 1/4" NPT female outlet, high-strength rubber diaphragm, and a rugged all-metal body. It also comes with part number **NITA** and has a 0–500 psi outlet pressure.

P/N	DESCRIPTION
2550	Nitrogen Regulator w/ NITA (Hose Not Included)
N10H	10' High-Pressure Nitrogen Hose
1000G	1000 psi Replacement Gauge For Nitrogen Regulator
4000G	4000 psi Replacement Gauge For Nitrogen Regulator
NITA	Nitrogen Valve to Regulator Adapter
C02	1/4" F x 1/4" F CO ₂ Coupling




N10H w/ NITA & CO2 In Use



NITA

This **3-WAY VALVE** provides an easy and safe method of venting pressure when charging dry chemical and other low-pressure fire extinguishers. After reaching the correct extinguisher pressure and installing the extinguisher's pull pin, a half turn of the 3-way valve handle instantly bleeds off the pressure between the **3WV** and the extinguisher (with minimal loss of nitrogen) for safe removal of the quick disconnect (**QDC** or **QDC2**). Use the **4HN** nipple to attach the quick disconnect. Maximum pressure is 500 psi.

P/N	DESCRIPTION
3WV	3-Way 1/4" Valve
4HN	1/4" M x M Hex Nipple For 3-Way Valve



SCALES

Ideal for weighing extinguishers during recharge, this **FIXED SPRING DIAL PLATFORM SCALE** features corrosion-resistant construction with a shatter-resistant window. Its dual-read feature displays weight in both English Standard and Metric units. It comes with a zero adjustment knob and has a 13" x 13" platform.

P/N	DESCRIPTION
T100	100 lb x 4 oz Fixed Spring Dial Scale



Built to withstand the demands of a commercial kitchen, this **HEAVY-DUTY HIGH-PERFORMANCE TABLETOP SCALE** is made from stainless steel and features a large angled dial with a shatter-resistant lens. The scale's platform measures 9" x 9", while the entire unit measures 7 1/4"L x 10 5/8"H x 10 7/8"W.

P/N	DESCRIPTION
T40	40 lb x 2 oz Heavy-Duty Tabletop Scale



These **LEGAL-FOR-TRADE SCALES** incorporate a portable wireless design, and feature over/under check weighing, removable stainless steel platforms, and adjustable auto shutoffs. An automatic/semi-automatic zero-setting mechanism and AC adapter (except **BDS160X**) are standard.

NOTE: All units are AC/DC (batteries not included).

P/N	DESCRIPTION
BDS160*	160 oz x 0.1 oz LFT Digital Scale
BDS160X	160 oz x 0.1 oz LFT Digital Scale (Without Adapter)
LTDS60	60 lb x .02 lb LFT Digital Scale
LTDSAC60	AC Adapter For 60 lb Scale & 160 oz Scale
TFDB	D Alkaline Batteries, Pkg/2

*WHILE QUANTITIES LAST!

Getz's LEGAL-FOR-TRADE DIGITAL SCALE has an Auto-Power Off function and includes an optional output to connect peripherals. This AC/DC scale comes with an AC adapter or can operate on four C-cell batteries (not included). Measures 11 13/16" x 16".

P/N	DESCRIPTION
2G0131GZ	150 lb x 0.05 lb LFT Digital Scale
TFGB	C Alkaline Batteries, Pkg/2





GHCW110

CLASS 7 WEIGHTS are for scale calibration and satisfy the amendment of CA Title 19, Division 1, Chapter 3 that states scales must be checked with an appropriate Class 7 Weight prior to each use. Test weights are made from cast iron and coated with a layer of chip-resistant paint to keep them from corroding.

P/N	DESCRIPTION
GHCW101	1 lb Class 7 Weight
GHCW110	10 lb Class 7 Weight



101



501



401

PRECISION HANGING SCALES are accurate and dependable with adjustable pointers and heavy-duty steel construction.

P/N	DESCRIPTION
101	110 lb x 1 lb Hanging Scale
501	50 lb x 1 lb Hanging Scale

Designed for weighing cartridges, these **PORTABLE HANGING SCALES** come in two types: the **605**, marked 0–60 oz with 0.5 oz graduations and the **401**, marked 0–4 lb with 1 oz and 0–2 kg with 20 g graduations. The **SCLIP** is for hanging cartridges.

P/N	DESCRIPTION
401	4 lb x 1 oz Portable Hanging Scale
605	60 oz x 0.5 oz Hanging Scale
SCLIP	CO ₂ & Nitrogen Cartridge Scale Clip



605


SCLIP
In Use


Heavy-duty **UTILITY SCALES** come with low-profile, reinforced ribbed platforms; memory locks; carrying handles; and zero adjustment knobs. Measures 13¹/₄" L x 3⁷/₈" H x 10¹/₂" W.

P/N	DESCRIPTION
US100	100 lb x 1 lb Utility Scale
US250	250 lb x 1 lb Utility Scale



US100



DKS3002

For cartridge filling and inspection, this **ELECTRONIC DIGITAL SCALE** has an LCD digital display, automatic shut off, and includes an AC adapter. Platform measures 5¹⁵/₁₆" x 4³/₄" with a 2000 g x 2 g capacity.

NOTE: Operates on one 9V battery (not included). Call manufacturer for warranty issues.

P/N	DESCRIPTION
DKS3002	4 lb x 0.1 oz Digital Scale
ODS230	AC Adapter For DKS3002
TF9VB	9V Alkaline Battery



PBB135

This **BENCH BEAM SCALE** is legal for trade, conforming to NIST Handbook 44, Class III. It features a bubble level indicator and adjustable leveling legs and reads in ounces or decimal pounds (with 135 lb x 0.1 lb graduations). Includes a 12" x 17" platform.

P/N	DESCRIPTION
PBB135	Beam Scale

SERVICE KITS

Reduce service time with the **UNIVERSAL WHEELED UNIT SERVICE KIT**. Designed for 30–350 lb wheeled fire extinguishers, this kit has all the fittings, adapters, and components to perform annual maintenance on most makes, models, and sizes.

NOTE: Contact our Sales Department for a complete list of kit components.

P/N	DESCRIPTION
WSK30350	Wheeled Unit Service Kit

This **DRY CHEMICAL REFILLING KIT** contains a small funnel (**FF1**), large funnel (**FF2**), regulator (**2550**), large scoop (**NAS2**), complete recharge adapter kit (**RAKIT**), nitrogen hose (**N10H**), and **PTFE** tape (**T520**).

P/N	DESCRIPTION
DCRK	Dry Chemical Refilling Kit

START-UP KIT

Brooks' START-UP KIT easily outfits your truck for servicing fire extinguishers. Contents include a dry chemical recharge kit (**DCRK**), valve stem kit (**VSKIT**), O-ring kit (**ORKIT**), rivet kit (**RAKIT**), 100 new-type pull pins (**NPP**), box of comfort masks (**RP9500**), valve cleaning brushes (**VCB**, **NB**, **TB**), scales (**501**, **605**), tube of lubricant (**OLUBE2**), clear parts box (**LPC16**), and a parts bin rack (**PBR1**).

P/N	DESCRIPTION
SUKIT	Start-Up Kit

The **RECHARGE ADAPTER KIT** contains the **ADSET**, (1) **AD31**, (14) **CON1**, (1) **GDC**, and (1) **AC1** in a clear parts bin box (**LPC16**) with a full-scale illustration of each part.

P/N	DESCRIPTION
RAKIT	Recharge Adapter Kit



WSK30350




DCRK



SUKIT



RAKIT



RECHARGE ADAPTERS

Fire extinguisher **RECHARGE ADAPTERS, AIR VALVES**, and **QUICK DISCONNECT COUPLERS**.

P/N	DESCRIPTION
AD21	Recharge Adapter Fits Amerex, Badger, General, Old Kidde, Pem All, Flag, & RC Ind.
AD22	Recharge Adapter Fits Ansul Sentry 2.5 lb & 5 lb Coarse Thread (Small Valve)
AD23	Recharge Adapter Fits Ansul, Buckeye, Pyronauts, & Kidde (Large Pro Line Units)
AD24	Recharge Adapter Fits Amerex, Ansul, Badger, General, Pem All, Strike, Stop Fire, Buckeye, Flag, Power-Pak, & RC Ind.
AD25	Recharge Adapter Fits Old-Style Kidde Units
AD26	Recharge Adapter Fits RC Ind. Clip-Type Nozzle
AD27*	Recharge Adapter Fits Kidde Nylon Valve w/ Nozzle
AD29	Recharge Adapter Fits Fyr-Fyter, Buffalo, C-O-Two, Pyrene, Norris, & Stop Fire
AD30	Recharge Adapter Fits Ansul Sentry Units Except 2.5 lb (Large Valve)
AD32	Recharge Adapter Fits Kidde Nylon Valve w/ Hose
AD34	Recharge Adapter Fits Kidde Coarse Thread
AD35	Recharge Adapter Fits Kidde Pro Line (Small Units) & New Ansul Sentry
AD36	Recharge Adapter Fits Amerex 270, 272, B260, & B262
AD36W	Washer For AD36
AD38	Recharge Adapter Fits Ansul A025 & A02SVB
ADSET	Recharge Adapter Set AD21-27, 29, 30, 32, 34, 35, 36, & 38

*WHILE QUANTITIES LAST!

Fire extinguisher **RECHARGE ADAPTERS, AIR VALVES**, and **QUICK DISCONNECT COUPLERS**.

P/N	DESCRIPTION
CRT	Core Removing Tool
AC1	Air Chuck
AV1	Air Valve w/ Cap
CORE	Replacement Core, Pkg/50 For AV1
AVC	Replacement Cap, Pkg/50 For AV1
CON1	Male Quick Disconnect, 1/8" Male NTP Use w/ all AD Recharge Adapters
CON2	Male Quick Disconnect, 1/8" Male NTP Use w/ all AD Recharge Adapters on Getz Recharge System
AD31	Male Quick Disconnect, 1/4" Male NPT Use w/ DCA & AC1
QDC	Female Quick Disconnect, 1/4" Female NPT Use w/ CON1 & AD31
QDC2	Female Quick Disconnect, 1/4" Female NPT Use w/ CON2 on Getz Recharge System
DCA	Discharge Adapter For Cartridge Receiver, Fits Ansul, Badger, & General

CO₂ RECHARGE EQUIPMENT

This single-action **CO₂ TRANSFER PUMP**, from **Getz**, operates on compressed air or nitrogen (130 psi, at 13 CFM) and comes with (4) CO₂ adapters, (1) 3/8" x 10' white poly tubing, (1) 1/2" x 6' supply line hose, and (1) 1/4" x 6' fill line hose.

P/N	DESCRIPTION
4G0010GZ	CO ₂ Transfer Pump

Ansul® and Sentry® are registered marks of Tyco Fire Products LP.

Getz's base-plate-mounted **PNEUMATIC CYLINDER FLOOR VISE** features a formed iron pedestal, with a powder-coated paint finish for excellent corrosion resistance, and nonslip, durable belting to prevent cylinder scratching. Fully adjustable, it accommodates 5 lb–100 lb CO₂ cylinders and opens and closes within seconds. Comes standard with a tool and stamp tray.

P/N	DESCRIPTION
3G58634GZ	Pneumatic Cylinder Floor Vise

CO₂ CHARGING LINE COMPONENTS

P/N	DESCRIPTION
C01	1/2" F x 1/4" F CO ₂ Coupling
C02	1/4" F x 1/4" F CO ₂ Coupling
C07P	Fiber Washers, Pkg/50 For Swivel Nut
C014P	Nylon "Snap In" Washers, Pkg/50
C08	1/8" F x 1/2" M CO ₂ Charging Adapter
C09	1/4" F x 1/2" M CO ₂ Charging Adapter
C010	3/8" F x 1/2" M CO ₂ Charging Adapter
C011	1/2" F x 1/2" M CO ₂ Charging Adapter

CO₂ CHARGING LINE COMPONENTS

P/N	DESCRIPTION
C012	1/2" F Plastic Hand Nut
C013	2 1/2" Brass Nipple
C015	Flip Valve 1/4" F x 1/4" F Valve Stem For C015
C016	5 lb CO ₂ Charging Adapter
C017	Brass Swivel Nut
C03	6' Charging Hose 1/4" M x 1/4" M
C04	Heavy-Duty Quarter-Turn Ball Valve (2000 WOG-CS)

VALVE HANDLE GRIP for holding squeeze-handle-type valves in the open position.





P/N	DESCRIPTION
VHG	Valve Handle Grip

This **PAINTBALL RECHARGE KIT** features two 1000 psi WOG CO₂ brass ball valves and a CO₂ pin depressor for safe filling and handling.

WARNING: This kit is for refilling paintball cylinders only. A scale must be used to ensure a safe fill. For indoor use only.

P/N	DESCRIPTION
PBRKIT	Paintball Cylinder Recharge Kit

NOTE: The above adapters and components are only a partial list of items and equipment needed to safely refill carbon dioxide cartridges and cylinders. These adapters and components should be purchased and used **only** by personnel who are thoroughly familiar with, and understand, the standards published in the Compressed Gas Association pamphlets G-6 and S-1.1, Code of Federal Regulations Title 49, Parts 100 thru 185, and who have received "hands-on" training under the direct supervision of someone experienced in cartridge refilling. If you lack the knowledge, training, or experience described above, **do not** attempt to refill carbon dioxide cartridges or cylinders. Instead, we recommend that you purchase either new cylinders and cartridges or have them refilled by an established service facility. **Failure to adhere to the above instructions could result in serious injury or death!**





HTP w/ QDC & N10H In Use



TC In Use

HYDROTEST EQUIPMENT

This **LOW-PRESSURE HYDROTEST PUMP** is made of cast aluminum with stainless steel pistons and a 0–1000 psi pressure gauge. Order hose (**N10H**) and quick disconnect coupler (**QDC**) separately. Weighs 12 lb.

P/N	DESCRIPTION
HTP	Hydrotest Pump (Pump Only)
HPCS	Replacement Check Stem Kit For Hydrostatic Test Pump
N10H	10' High-Pressure Nitrogen Hose
1000G	1000 psi Replacement Gauge For Hydrostatic Test Pump
QDC	Quick Disconnect Coupler
OR27	O-Ring For Piston (2 Required)



3G58630GZ

Brooks' TEST CAGE comes with a durable red powder paint finish, 13 ga steel mesh, and 11 ga steel frame with mounting holes on the bottom. Its top has a 1½" hole for a test hose, while its hinged door has a latch for easy access. Weighs 29 lb. Measures 31"H x 12"W x 11"D.

P/N	DESCRIPTION
TC	Test Cage



3G0078GZ

The **Getz AIR PUMP HYDROSTATIC TEST SYSTEM** is air powered with a 0–800 liquid filled gauge and **Getz Head Assembly**. Other features include a rotating safety cage and an air blowout valve for dispersing water from an extinguisher. A filtration system also filters out dry chemical during the emptying cycle and its fill and empty come with female quick couplings. Garden hose hook up. Operates on 80–100 psi shop air, nitrogen, or CO₂ vapor. **NOTE:** Requires 3G0078GZ to comply with U.S. DOT regulations!

P/N	DESCRIPTION
3G58630GZ	Air Pump Hydrostatic Test System

Getz's TEST CYLINDER WITH MASTER GAUGE calibrates cylinders for low-pressure hydrotesters and comes with a DOT and NFPA compliant gauge.

P/N	DESCRIPTION
3G0078GZ	Test Cylinder w/ Master Gauge



3G0047GZ In Use

The **HYDRO AID COMPLETE**, from **Getz**, removes any remaining dry chemical prior to hydrotesting and any residual water after hydrotesting to decrease drying time. It comes standard with an incoming air supply to a ½" ball valve (100 psi max) and a 1½" vacuum port for a shop vac (not included) with a HEPA filter.

P/N	DESCRIPTION
3G0047GZ	Hydro Aid Complete

This **CYLINDER DRYER** produces 1400 W at $\frac{1}{3}$ hp for decreased drying times. It connects to a standard 110 VAC outlet with its 20' cord.

P/N	DESCRIPTION
59705GZ	Getz Cylinder Dryer

This temperature-controlled, 1-hp **COMPACT CYLINDER DRYER** features **Getz's** economy **Hot Blower** mounted inside. Ideal for service trucks and shops. 120 VAC. 95 CFM.

P/N	DESCRIPTION
3G0101GZ	Compact Cylinder Dryer

The **CERTIFIED TEST GAUGE**, for hydrostatic testing of low-pressure cylinders (required by NFPA 10), meets test gauge requirements for both volumetric expansion and modified hydrostatic (proof pressure) testing of DOT-specified cylinders. An additional gauge should be used as a master gauge for a daily system check, as required by NFPA 10. It features a 0–1000 psi range, 0.25% accuracy (full scale), and 5 psi minor graduations and has an externally adjustable dial that measures $4\frac{1}{2}$ ". The gauge has a $\frac{1}{4}$ " NPT lower connection that fits the **HTP** test pump, plus it is calibrated and certified prior to shipment. **Brooks** can deadweight test and recertify your test or master gauges in our Charlotte, N.C. location. Send carefully packed gauges (with ALL adapters removed), marked "GAUGE SHOP," to our Charlotte address. Your re-certified gauge will be shipped back within two business days of receipt (using the same method of shipment unless otherwise instructed). Not for high-pressure testing!

WARNING: Not responsible for damage due to adaptors not being removed before shipping! Brooks cannot repair damaged gauges!

P/N	DESCRIPTION
SSPTG1000	1000 psi Certified Test Gauge
SSPDW11	Deadweight Test & Re-Certify Gauge

This **DUAL-GAUGE ASSEMBLY**, from **Getz**, meets the same requirements as our **Certified Test Gauge** and includes two 0–800 psi digital gauges, a dual 45° gauge block with an air-bleed valve, and a drain line. It features a shutoff valve at the working and master gauge assembly, 6' of pressure line, a shutoff valve for connecting to your existing pump, and a mounting bracket.

P/N	DESCRIPTION
DDP59327GZ	Dual-Gauge Assembly

CYLINDER INSPECTION LIGHTS come with protective covers/extensions and flexible shafts that can be bent to most any desired angle. Batteries included.

P/N	DESCRIPTION
24CIL	24" Cylinder Inspection Light, Krypton Lamp
16CIL	16" Cylinder Inspection Light, Incandescent Lamp
110KRP	Krypton Replacement Bulb
100S	Incandescent Replacement Bulb



59705GZ




3G0101GZ In Use




SSPTG1000



DDP59327GZ



16CIL



IM



SIM

These **INSPECTION MIRRORS** include the **IM**, which telescopes from 5³/₄" to 27" and features an adjustable, ⁷/₈" Dia mirror and magnetic end. The **SIM** is 9¹/₄" long with a fixed ⁵/₈" Dia mirror.

P/N	DESCRIPTION
IM	Inspection Mirror, Adjustable
SIM	Inspection Mirror, Fixed

HYDROTEST ADAPTERS

Low-pressure **HYDROTEST ADAPTERS** for proof-pressure testing portable extinguishers.

P/N	DESCRIPTION
HTA1*	Fits General Extinguishers
HTA3	Fits Badger & American LaFrance Extinguishers
HTA5	Fits General & Kidde Extinguishers
HTA7	Fits Buckeye, General, Pem All, PowerPak, Pyronauts, & RC Ind. Extinguishers
HTA9	Fits Amerex, Ansul, Badger, & American LaFrance Extinguishers
HTA10	Fits Amerex, Badger, General, & Kidde Water Pressure Extinguishers
HTA11	Fits Amerex & Ansul Extinguishers
HTA12	Fits Ansul & General Extinguishers
HTA13	Fits Ansul Extinguishers
HTA14	Fits Kidde Extinguishers
HTA15	Fits General Extinguishers
HTA16	Fits Kidde Extinguishers
HTA17	Fits Kidde Extinguishers
HTA18	Fits Kidde Extinguishers
HTA19	Fits American LaFrance & Stop Fire Extinguishers
HTA20	Fits General Extinguishers
HTA21	Fits Pem All Extinguishers
HTA39	Fits Kidde Extinguishers
HTA43	Fits Ansul Dry Chem & Cleanguard Extinguishers
HTA44	Fits Badger Extinguishers
HTA45	Fits Badger & American LaFrance Extinguishers (10-20 lb Large Valve)
HTA46	Fits Ansul Water & Wet Chem Extinguishers
4892A	Fits Amerex DC Wheeled Units Cylinder Hose Opening
5720A	Fits CEH75 Chemical Engine Hose

*WHILE QUANTITIES LAST!

Low-pressure **HYDROTEST ADAPTERS** for proof-pressure and water jacket testing system cylinders.

P/N	DESCRIPTION
HTA23	Fits Old-Style Range Guard Systems & Fyr-Fyter Systems
HTA24	Fits Kidde Systems, Pyro-Chem Systems, & Badger Range Guard Systems
HTA41	Fits Pyro-Chem Wet Systems
HTA42	Fits Ansul UL300 Systems

Low-pressure **HYDROTEST ADAPTER SET** is compatible with **Ansul®** and **General** cartridge-operated units.

P/N	DESCRIPTION
AGTSET	Hydrotest Adapter Set (Includes HTA12)



HTA1, HTA10R



HTA3, OR333



HTA5, OR30



HTA7, OR21



HTA9, OR29



HTA10, HTA10G



HTA11, OR26



HTA12, G48, QR39



HTA13, 615AC



HTA14, OR33



HTA15, OR31



HTA16, OR315



HTA17, HTA10G



HTA18, OR35



HTA19, OR295



HTA20, OR19



HTA21, OR23



HTA23, SJS615



HTA24, OR43



HTA39, OR217



HTA41, HTA410R



HTA42, OR29



HTA43, OR28



HTA44, OR29



HTA45, OR27



HTA46, OR27



4892A



5720A



AGTSET

Low-pressure **HYDROTEST ADAPTER** accessories.

P/N	DESCRIPTION
14BV	Miniature Ball Valve, 1/4" M x F NPT
AD31	Quick Disconnect Adapter, 1/4" Male NPT For all HTA's except HTA24
QDC	Quick Disconnect Coupler, 1/4" Female NPT
1G0249GZ	Adapter For HTA Adapter (Use w/ Getz Hydrotest Equipment)
HTA10R	Replacement O-Ring For HTA1
HTA20R	Replacement O-Ring For HTA2
HTA10G	Replacement Gasket For HTA10
HTA410R	Replacement O-Ring For HTA41

High-pressure **HYDROTEST ADAPTERS** for use in water jacket high-pressure test units.

P/N	DESCRIPTION
HPTA27	1 1/8" UNE, Aluminum Cylinders & Extg
HPTA28	3/4" UNE, Scott Air Cylinders-II & Aluminum ICC 2015, Sportsway Dive Tanks & Others
HPTA32*	1/2" NGT, Commercial Gas Cylinders & CO ₂ Extg
HPTA33	3/4" NGT, Commercial Gas Cylinders & CO ₂ Extg
HPTA34	1" NGT, Commercial Gas Cylinders & CO ₂ Extg
HPTA35	3/4" Straight Pipe, Dive, Scuba, & Aqua Tanks
HPTA36	1/2" Straight Pipe, MSA & Others
HPTA37	1 1/4" UNE, Aluminum Cylinders & Extg
HPTA38	3/4" UNE, MSA, FRP, & Others w/o O-Ring Groove

*WHILE QUANTITIES LAST!

High-pressure **CARTRIDGE HYDROTEST ADAPTERS** to be used in water jacket high-pressure test units.

P/N	DESCRIPTION
CTA1	Left-Hand Thread High-Pressure Test Adapter Fits Ansul & General Cartridges
CTA2	Right-Hand Thread High-Pressure Test Adapter Fits Ansul & General Cartridges

STAMP HOLDER AND STAMPS

Custom **DOT IDENTIFICATION STAMPS** come with your Department of Transportation identification number in your choice of sharp or low stress. Delivery is two to three weeks.

NOTE: Signed proof required for production of custom DOT stamps.

P/N	DESCRIPTION
SSPD0TL	Custom Low-Stress DOT Stamp, 3 3/4" L x 3/4" w/ 1/8" Characters
SSPD0TS	Custom Sharp DOT Stamp, 3 7/8" L x 3/4" w/ 1/8" Characters

DOT METAL STAMPS with 1/4" characters.

P/N	DESCRIPTION
MS3AL	"3AL" Low-Stress Metal Stamp
MSP	Plus (+) Symbol Stamp
MSST	Star Symbol Stamp
MSSD	Sharp Face Metal Stamp, "18"
MSLD	Low-Stress Metal Stamp, "18"

In Use photos may show items not included or available separately.

Ansul® is a registered mark of Tyco Fire Products LP.





MS

STEEL STAMPS are manufactured to meet the most demanding industrial applications with an extra-heavy, extra-long shank and supporting bevel. They feature character identification, size, and three thumb grooves and cut 1/4" numbers.

P/N	DESCRIPTION
MS	Steel Stamp Set (0–9 Stamps)
MS0	Number 0 Steel Stamp
MS1	Number 1 Steel Stamp
MS2	Number 2 Steel Stamp
MS3	Number 3 Steel Stamp
MS4	Number 4 Steel Stamp
MS5	Number 5 Steel Stamp
MS6	Numbers 6 & 9 Steel Stamp
MS7	Number 7 Steel Stamp
MS8	Number 8 Steel Stamp
MSLS	Low-Stress Stamp Set (0–9 Stamps)



SH2

Ideal for hitting stamps and making readable marks, this **2 LB STAMPING HAMMER** has an 8" shaft for easy control. Yellow.

P/N	DESCRIPTION
SH2	Stamping Hammer



HSH In Use


MISCELLANEOUS

Hands-Off Chisel Grip TOOL HOLDER securely holds steel stamps and other tools. It absorbs vibration and protects fingers.


P/N	DESCRIPTION
HSH	Tool Holder



VCB



BVCB




NB



TB



NWB



WCB



CWB



PDB

BRUSHES are ideal for cleaning valves, threads, etc.

P/N	DESCRIPTION
VCB	Metal Bristle Cleaning Brush
BVCB	Brass Bristle Cleaning Brush For Aluminum
NB	Nylon Bristle Cleaning Brush
TB	Cleaning Brush
NWB	Nylon Cleaning Brush
BWB	Brass Cleaning Brush
WB	Nylon Wire Brush
CWB	Industrial-Grade Wire Brush
PDB	6" Pipe Dope Brush

These **INSPECTION MIRRORS** include the **IM**, which telescopes from 5 3/4" to 27" and features an adjustable 7/8" Dia mirror and magnetic end. The **SIM** is 9 1/4" long with a fixed, 5/8" Dia mirror.

P/N	DESCRIPTION
IM	Inspection Mirror, Adjustable
SIM	Inspection Mirror, Fixed



IM



SIM

The **O-RING REMOVAL KIT** consists of a handle and four different tools in a handy vinyl storage pouch.

P/N	DESCRIPTION
ORRK	O-Ring Removal Kit

Craftsman's carbon steel **4-PIECE PICK SET** is ideal for removing O-rings, gaskets, seals, and more. Picks come with cushioned-grip handles.

P/N	DESCRIPTION
4PPS	Pick Set

GAUGE SERVICE EQUIPMENT

Designed for pressurized water extinguishers, this **GAUGE TESTER** features a rugged bronze bourdon tube and brass movement. It holds pressure until released and doubles as a tire gauge. Comes complete with operating instructions.

P/N	DESCRIPTION
PWGT	Gauge Tester

BUBBLES LEAK DETECTOR adheres to overhead surfaces, leaves no residue, and dries clean and clear. Its patented self-storing "Squirtubes" have small bores for dispensing small quantities, and it is okay to use for CO₂, nitrogen, and halon. 8 oz.

P/N	DESCRIPTION
LD1	Leak Detector

The **GAUGE WRENCH** is designed for removing/attaching most gauges and features 3/16" cold-rolled plated steel construction.

P/N	DESCRIPTION
GWRENCH	Gauge Wrench

PENS AND MARKERS

With their pressurized ink technology, **Uni-Ball® POWER TANK™ BALL POINT PENS** meet the challenges of adverse writing conditions—wet surfaces, at any angle. Smooth writing, they even work in extreme cold or upside down. Retractable. 1.0 mm.

P/N	DESCRIPTION
PTPBK	Power Tank Pen, Black
PTPBL	Power Tank Pen, Blue

Sharpie® PERMANENT MARKING PENS write on metal, plastic, vinyl, and more and resist smudging.

P/N	DESCRIPTION
PMC	King Size Permanent w/ Marker, Black
PMP	Fine Permanent Marking Pen, Black
PMUR	Ultra-Fine Permanent Marking Pen, Black
→ IPMP	Industrial Permanent Marking Pen, Fine, Black



ORRK



4PPS



PWGT



LD1




GWRENCH



PTPBK, PTPBL



PMC



PMP



PMUR



IPMP



PTMPY



PMFRTBK



CAT

CA1

Sharpie® medium-point **PAINT MARKERS** are permanent, oil-based, valve-action paint pens that mark on virtually any surface—metal, pottery, wood, rubber, glass, plastic, stone, and more. Quick drying, they are fade, water, and abrasion resistant for a long-lasting mark. Non-toxic and xylene-free.

P/N	DESCRIPTION
PTMPBK	Paint Marking Pen, Black
PTMPR	Paint Marking Pen, Red
PTMPY	Paint Marking Pen, Yellow


Sharpie's fine point **RETRACTABLE PERMANENT MARKERS** have no cap to lose for easier one-handed operation. **Safety Seal™** valves prevent them from drying out, while their fast-drying, non-toxic ink writes on almost any surface.

P/N	DESCRIPTION
PMFRTBK	Retractable Permanent Marker, Black
PMFRTR	Retractable Permanent Marker, Red

FASTENERS

Tapcon® **SELF-TAPPING CONCRETE ANCHORS** are the fastest way to secure wall brackets and cabinets to concrete. Just drill pilot holes and screw them in. There are no plastic or metal plugs needed, as they cut their own threads into masonry and hold strong in block, brick, or poured concrete. The **Condribe® 1000 INSTALLATION TOOL** offers easy installation.

P/N	DESCRIPTION
CA1	Tapcon Anchors, Pkg/100
CAT	Condribe 1000 Installation Tool, 1/4" x 1 3/4"




25013ST In Use

25013ST In Use

25013ST

SnapToggle® heavy-duty hollow wall **ANCHORS** are for use in walls, ceilings, and floors made of gypsum board, drywall (with steel studs), concrete block, tiled drywall, and more. Their solid-metal channels secure their bolts, out holding wing toggles. Self-drilling **SnapSkru®** **ANCHORS** are the only version that lock symmetrically on the wall and ceiling for truly secure fastening. When activated with screws, **SnapSkru** anchors open with audible “pops” locking them on walls with much greater force than other self-drilling anchors. Pkg/50.

P/N	DESCRIPTION
25013ST	3/16" SnapToggle Anchors w/o Bolts
50T0G	3/16" x 1 1/2" Phillips Head Bolts
	For 25013ST
30012SS	SnapSkru Anchors w/ Screws



30012SS In Use


30012SS In Use

30012SS

E-Z Ancor™ SELF-DRILLING DRYWALL ANCHORS

require no pre-drilling and install easily using a **Phillips®** screwdriver or power-driver. They offer deep thread engagement for added strength in $\frac{3}{8}$ " to $\frac{5}{8}$ " wallboard (sheetrock), and they do not leave big, gaping holes when removed. Screws are #8 x $1\frac{1}{4}$ ". Items sold separately. Pkg/100.

P/N	DESCRIPTION
EZP	E-Z Ancor Anchors, Plastic
EZM	E-Z Ancor Anchors, Metal
EZS100	E-Z Ancor Screws



EZP



EZM

E-Z Toggle® SELF-DRILLING TOGGLE ANCHORS require no pre-drilling and install easily using a **Phillips®** screwdriver or power driver. Their unique, patented clamps replace both $\frac{1}{8}$ " and $\frac{3}{8}$ " winged toggles. They offer deep thread engagement for added strength in $\frac{3}{8}$ " to $\frac{5}{8}$ " wallboard (sheetrock) and will not leave big gaping holes when removed. Screws included. Pkg/50.

P/N	DESCRIPTION
EZTOG	E-Z Toggle Anchors



EZTOG

SELF-DRILLING STEEL FASTENERS easily tap into $\frac{1}{4}$ " to $\frac{1}{2}$ " steel—and without drilling. These hex head #12 x $1\frac{1}{4}$ " long-milled self-drillers feature non-walking points with precise cutting edges, and their unique design increases drilling performance, requiring less end pressure. Pkg/100.

P/N	DESCRIPTION
SA1	Self-Drilling Fasteners



SA1

TOGGLE BOLTS and **WASHERS**. Pkg/100.

P/N	DESCRIPTION
RHTB	3" x $\frac{3}{16}$ " Round Head Toggle Bolts
FW1	1" x $\frac{3}{16}$ " Fender Washers
FW15	1 $\frac{1}{2}$ " x $\frac{1}{4}$ " Fender Washers



RHTB

PTFE TAPE

P/N	DESCRIPTION
T520	$\frac{1}{2}$ " x 520" PTFE, White
T75	$\frac{3}{4}$ " x 520" PTFE, White
T520HD	$\frac{1}{2}$ " x 520" PTFE, Hi-Density, Pink



T520HD, T75

Penetrates & Protects



BA2

Brooks BECO LUBE was made with the fire safety industry in mind. It lubricates, cleans, penetrates, and protects parts. 11 oz aerosol.

P/N	DESCRIPTION
BA2	BECO Lube



BA1

AEROSOLS

Brooks' Sign On! SPRAY ON ADHESIVE bonds signs to almost anything. 9.5 oz aerosol.

P/N	DESCRIPTION
BA1	Spray On Adhesive



BA4

Brooks' Krazy Kleen multi-purpose **INDUSTRIAL STRENGTH CLEANER**. 19 oz aerosol.

P/N	DESCRIPTION
BA4	Industrial Strength Cleaner



LOAR

Lift Off® ADHESIVE REMOVER effectively removes adhesives, chewing gum, grease, tar, and motor oil. 10.5 oz aerosol.

P/N	DESCRIPTION
LOAR	Adhesive Remover



800001QC

De-Ice FROST & ICE REMOVER works on windshields, steps, door locks, sidewalks, and more. When used as a pre-treatment, it helps prevent ice and frost on windshields and windows. Its no-residue formula is safe for paint, glass, rubber, metal, plastic, and cloth. 12 oz aerosol. Case/12.

P/N	DESCRIPTION
800001QC	Frost & Ice Remover



FTS2

FireTech™ SMOKE DETECTOR TESTER is for functional testing of photoelectric and ionization smoke detectors. Non-toxic. 2.6 oz aerosol. UL listed.

P/N	DESCRIPTION
FTS2	FireTech Smoke



AB2000

Clean Jet 100 AIR DUSTER is an ultra-filtered dust remover that produces strong blasts of air (up to 100 psi) with zero ozone depletion potential. It leaves no residue, and its extender tube offers pinpoint accuracy in tight spaces. Non-flammable. 10 oz aerosol.

P/N	DESCRIPTION
AB2000	Air Duster

HAND CARE PRODUCTS

WypAll® WIPERS provide better absorption than shop rags and come in different thicknesses for different jobs. Using **Hydroknit®** technology, they combine excellent absorbing power in a lightweight wiper that takes up less space than rags. The **JUMBO ROLL DISPENSER** makes dispensing wipers easy.

P/N	DESCRIPTION
KCW180	Brag Box Wipers, 12 ¹ / ₂ " x 16 ³ / ₄ ", White, 180 ea Replaces 25 lb of Scrap Rags
KCHDW475	Jumbo Roll Wipers, 12 ¹ / ₂ " x 13 ³ / ₈ ", Red, 475 ea Replaces 75 lb of Scrap Rags
KCHDD	Jumbo Roll Dispenser, 16 ³ / ₄ "L x 33"H x 18 ¹ / ₂ "W
KCHWM	Jumbo Roll Wall Mount Dispenser, 16 ³ / ₄ "L x 8 ³ / ₄ "H x 10 ³ / ₄ "W



KCW180



KCHDD w/ KCHDW475 In Use

Pumice-powered **Lava®** heavy-duty **HAND CLEANERS** cut through the heaviest grease and grime. They contain moisturizers, so they get extremely dirty hands really clean without drying them out. **Lava** removes dirt, grease, oil, ink, tar, paint, caulk, adhesives, and more. 5.75 oz.

P/N	DESCRIPTION
LAVA	Bar Soap
LAVA2	Bar Soap, Pkg/2



LAVA

GoJo® HAND CLEANERS are specially formulated to gently remove a variety of light greases and oils, effectively cleansing hands quickly.

P/N	DESCRIPTION
GJS095806	Orange Pumice Hand Cleaner w/ Pump Dispenser, 1/2 gal
GJW629804	Fast Towels Multi-Purpose, Container/130 ea



GJS095806



GJW629804

Scott® RAGS IN A BOX are specifically designed for hands-on work. These soft, absorbent towels perform with the strength, durability, and absorbency of a cloth and come in a convenient **Pop-Up Box** with a built-in handle for easy transport. 10" x 13". White.

P/N	DESCRIPTION
KCRB200	Rags In A Box, Box/200

Scott® SHOP TOWELS are strong, soft, and absorbent and work like cloths. They are great for wiping hands and cleaning tools and easily absorb liquids, oil, and grease. They fit on standard towel holders for convenient dispensing. 10³/₈" x 11". Blue.

P/N	DESCRIPTION
KCST55	Shop Towels, Roll/55



KCRB200



KCST55



PDTAPE

TAPE

This advanced-strength **Duck® Brand DUCT TAPE** is the choice of professionals and homeowners alike. 9 mil. 1⁷/₈" x 60 yd. Silver.

P/N	DESCRIPTION
PDTAPE	Duct Tape

Made for all types of electrical jobs, except those exceeding 600 volts, **Duck® Brand ECONOMY** and **Pro Series ALL-PURPOSE ELECTRICAL TAPES** are 7 mil thick, 3/4" wide, UL listed, and CSA certified. **All-Purpose** version is flame retardant and weather resistant. Black.



EETAPE



PETAPE

P/N	DESCRIPTION
EETAPE	Economy Electrical Tape, 60'
PETAPE	All-Purpose Electrical Tape, 66'

Duck® Brand HD Clear™ HIGH-PERFORMANCE PACKAGING TAPE is heavy-duty bulk tape that is ideal for sealing boxes and other jobs. Meets postal regulations. 2.6 mil. 1⁷/₈" x 54.6 yd. Clear. Pkg/6.

P/N	DESCRIPTION
HPTAPE6	Packing Tape



HPTAPE6



TAPEGUN

The **Duck® Brand STANDARD TAPE GUN** features an adjustable tension control knob and has a comfortable handle. Holds up to 2"-wide tape.

P/N	DESCRIPTION
TAPEGUN	Standard Tape Gun



CCW1

TOOLS

This **CAP WRENCH** works on most cartridge-operated fire extinguishers.

P/N	DESCRIPTION
CCW1	Cap Wrench



AW1 In Use

Constructed of solid steel for a lifetime of service, this **SLIP JOINT VALVE WRENCH** fits all manufacturers' CO₂ valves.

P/N	DESCRIPTION
AW1	Slip Joint Valve Wrench

Craftsman® HEAVY-DUTY IRON PIPE WRENCHES

feature tough cast-iron housings and I-beam handles. They come with full-floating hookjaws that use self-cleaning threads.

P/N	DESCRIPTION
10CPW	10" Pipe Wrench 1½" Capacity
14CPW	14" Pipe Wrench 2" Capacity

Reversible ratchet **TORQUE WRENCHES** feature dial-in torque settings, permitting precise tightening to specifications. Their click stops (with 4% accuracy) indicate desired torque by feel and sound, while their heavy-duty cam and pawl actions make quick work of tough jobs.

P/N	DESCRIPTION
TW	18" Torque Wrench w/ ½" Drive, 10–150 ft-lb
TW2	10" Torque Wrench w/ ⅜" Drive, 40–200 in-lb

The **170-PIECE MECHANIC'S TOOL SET**, from **Crescent**, contains a carefully selected assortment of hand tools for a wide variety of applications. Set includes ¼", ⅜", and ½" quick-release ratcheting drives with numerous standard and deep sockets in the most common SAE and metric sizes. Its sturdy carrying case makes tools easy to find and set to go anywhere. All tools meet stringent ANSI and ASME specifications.

P/N	DESCRIPTION
170PCTK	170-Piece Mechanic's Tool Set

Crescent's ADJUSTABLE WRENCHES feature chrome-plated finishes and are constructed from heat-treated alloy steel and come with easy thumb adjustments.

P/N	DESCRIPTION
TL0806	6" Adjustable Wrench
TL0810	10" Adjustable Wrench

Crescent's Rapidslide™ ADJUSTABLE WRENCH features a "slide control" in the handle for fast, accurate jaw adjustment and an internal debris shield to protect the slide mechanism and keep it moving freely. Other features include a 1¼" (maximum) jaw opening capacity and a wide handle for increased leverage.

P/N	DESCRIPTION
TLAC8	8" RapidSlide Wrench



14CPW



TW



170PCTK



TL0810





TLAC8



Crescent's RapidRench ADJUSTABLE SOCKET WRENCH has a $\frac{1}{4}$ "– $\frac{7}{8}$ " adjustable jaw for 38 different nut and bolt sizes. Its jaw design extends into deep areas, while its comfort grip reduces hand and wrist stress.

P/N	DESCRIPTION
TLFR28	8½" RapidRench Wrench





Crescent's TONGUE & GROOVE PLIERS feature unique teeth for increased grip and torque, precision milled ribs for a positive interlock, alloy steel construction for years of trouble-free use, and cushion grip handles.

P/N	DESCRIPTION
TL0440	12" Tongue & Groove Pliers
TL0420	10" Tongue & Groove Pliers
TL0426	7" Straight Jaw Tongue & Groove Pliers




The **WIRING TOOL** features specially heat-treated blades for long life and **Channellock-Blue®** comfort grips for easier use.

P/N	DESCRIPTION
TL908	8¼" Wiring Tool



Make changing links fast and easy with these **LINKAGE PLIERS** from **Brooks**. No more scrunching fingers and busting knuckles trying to release cable pressure on scissor brackets. Simply place the specially curved steel jaws in the bracket holes and squeeze for fast, effortless link replacement.

P/N	DESCRIPTION
TL915	Linkage Pliers, Locking
TL910	Linkage Pliers, Non-Locking



These **LONG-NOSE PLIERS**, from **Channellock**, are made from high-carbon steel with knife- and anvil-style cutting edges for perfect mating and longevity. **Channellock-Blue®** comfort grip handles are standard.

P/N	DESCRIPTION
TL0317	8" Long-Nose Pliers




Crescent® PLIERS feature shear-style wire cutters, heat treated to hold their edge. Made of forged alloy steel, all pliers come with nonslip cushion-grip handles for extra control and comfort.

P/N	DESCRIPTION
TL0526	6½" Slip Joint Pliers
TL060	7" Long Needle-Nose Pliers

Vise-Grip® LOCKING PLIERS can be used for turning, cutting, tightening, clamping, and twisting. They feature a hardened tooth design to grip from any angle and an adjusting screw for exact pressure during repetitive use. Constructed of alloy steel and heat treated for extra toughness and durability. Additionally, **TLVG1** and **TLVG3** feature a built-in wire cutter that cuts bolts (up to a 1/4").

P/N	DESCRIPTION
TLVG1	7" Curved-Jaw Vise-Grips w/ Wire Cutter
TLVG2	7" Straight-Jaw Vise-Grips
TLVG3	6" Long-Nose Vise-Grips w/ Wire Cutter



Shear-cut **SNAPPER WIRE CUTTERS** have micro-sized, premium-quality steel jaws that hold their edge, while cushioned grips offer comfortable use and less hand fatigue.

P/N	DESCRIPTION
TL20033	5 3/4" Snapper Wire Cutters



Ideal for hitting stamps and making readable marks, this **2 LB STAMPING HAMMER** has an 8" shaft for easy control.

P/N	DESCRIPTION
SH2	Stamping Hammer



Channellock® LOCKNUT PLIERS are designed for quick, easy adjustment of electrical locknuts and **GVNUT**. Their thin profile is ideal for use in tight wire-confined electrical boxes, and they have spring-loaded locking handles that fit 1/2", 3/4", 1", 1 1/4", and 1 1/2" locknuts.

P/N	DESCRIPTION
TL960	8 1/2" Locknut Pliers

Featuring **Titanium Bonded®** blades that are three-times harder than steel, these **TI STRAIGHT SNIPS** stay sharper longer and resist corrosion and adhesives. Plus their top blade is micro-serrated for true "grip and cut" performance. Ergonomic glass-filled nylon handles add comfort, while their spring-assisted action reduces hand fatigue. Other features include an internal locking mechanism and integrated wire cutter.

P/N	DESCRIPTION
TL18039	8" Straight Snips



With their multi-purpose design, these **AVIATION SNIPS** cut straight and wide curves on sheet metal, vinyl, plastic, and rubber. They feature **Pro-Touch™ Grips** for comfortable handling with less fatigue. Polished alloy blades give them a high-quality finish, while a positive lock-space safety latch keeps them closed.

P/N	DESCRIPTION
TL103	10" Aviation Snips



Craftsman's Handi-Cut® UTILITY CUTTERS offer alloy steel construction with integrated in-handle blade storage. Their super-sharp 3 7/8" stainless blade easily slices through leather, rubber hose, plastic, and more. Handle latch and extra blade are standard.

P/N	DESCRIPTION
TL00937301	Utility Cutters
TL00937253	Replacement Blade For TL00937301





TL89

These **RESCUE TOOLS**, from **Channellock**, have a spanner wrench that works on storz and rocker lug couplings (up to 5"). There is a tool steel punch to shatter safety glass, a pry bar for doors and windows, a gas shutoff, and a cable cutter with hardened steel blades that easily shear through soft metal or battery cables. Their narrow profiles work great in tight places.

P/N	DESCRIPTION
TL87	9" 87 Rescue Tool
TL89	11" 89 Rescue Tool



TL053



TL024

Crescent® SCREWDRIVERS feature tool steel construction with ergonomic handles. The **TL053**, **TL074**, and **TL0106** cover all commonly used slotted screws, while the **TL034** and **TL024** cover all commonly used **Phillips®** head screws.

P/N	DESCRIPTION
TL053	$\frac{3}{16}$ " x 3" Slotted Screwdriver
TL074	$\frac{1}{4}$ " x 4" Slotted Screwdriver
TL0106	$\frac{5}{16}$ " x 6" Slotted Screwdriver
TL034	#1 x 4" Phillips Screwdriver
TL024	#2 x 4" Phillips Screwdriver



TLSDS



TLDDS

Crescent's 4-PIECE DUAL-MATERIAL SCREWDRIVER SET features chrome-plated blades to prevent corrosion and ergonomic handles for ease in applying high-end torque.

P/N	DESCRIPTION
TLSDS	4-Piece Screwdriver Set Includes: $\frac{3}{16}$ " x 3", $\frac{1}{4}$ " x 4" Slotted; #1, #2 Phillips

Crescent's 5-PIECE NUTDRIVER SET comes with cushioned red handles that are designed for comfort and performance. Chrome-plated.

P/N	DESCRIPTION
TLDDS	5-Piece Nutdriver Set Includes: $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ "



MBR2

The **Crescent® Dura-Driver™ RATCHETING DRIVER SET** features magnetic shafts with $\frac{1}{4}$ " hex drives, three torque positions (fwd/lock/rev), in-handle bit storage, and a carry case.

P/N	DESCRIPTION
MBR2	34-Piece Ratcheting Driver Set Includes: $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", 5-11mm Nutdrivers; #1, #2, #3 Phillips; $\frac{1}{4}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ " Slotted; #1, #2, #3 Square Recess; Bit Holder w/ $\frac{1}{4}$ " Hexdrive; TX6, TX8, TX10, TX15, TX20, TX25, Torx; $\frac{1}{4}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ " Hex & Carry Case

These fold-up **HEX TOOLS** feature casings made from high-tech nylon resin, with heat-treated premium 8650 alloy steel blades, finished in black oxide for excellent rust resistance. Their unique Z-fold design allows easy access to all keys. Blades are marked with their hex size for quick identification.



HTS2

P/N	DESCRIPTION
HTS1	9-Piece Hex Tool Set, Medium Includes: $\frac{1}{20}$ ", $\frac{1}{16}$ ", $\frac{3}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ ", $\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ "
HTS2	9-Piece Hex Tool Set, Large Includes: $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ ", $\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ "

The **Craftsman® Professional 21-PIECE DRILL BIT SET** is ideal for heavy-duty use on all metals, including hard types. Bits come with split tips that drill on contact for less "walking" and a plastic case to keep them organized.

P/N DESCRIPTION
21PDBS 21-Piece Drill Bit Set
 Includes: 1/16"–3/8" by 64ths

Made of M2 high-speed steel, these **GENERAL-PURPOSE DRILL BITS** resist heat build-up with better penetration. They are fractional sized with 118° standard points and straight shanks, making them ideal for metal, wood, and plastic.

P/N DESCRIPTION
DBS1 General-Purpose Drill Bits
 Includes: 1/16"–1/2" by 32nds

This **FLARING TOOL** efficiently flares the pipe ends of seven common sizes (3/16"–5/8"). Ideal for copper and soft aluminum tubing.

P/N DESCRIPTION
TL2880 Flaring Tool

The **Lenox® HEAVY-DUTY HACKSAW** features lightweight all-metal construction, a large throat area for maximum cut depth, and an enlarged handle-grip opening. Its unique design prevents its blade from being over tensioned. Saw comes complete with a 12" bi-metal blade.

P/N DESCRIPTION
TL2012 Hacksaw
TL224 Hacksaw Blade, 12" x 24 Tooth

Gerber's Legend MP800™ MULTI-PLIER features replaceable tungsten carbide wire cutter inserts, a **RemGrit®** blade, scissors, cushioned handle grips, needle-nose pliers, wire cutters, knife blade, cross-head screwdriver, and small, medium, and large slotted screwdrivers, a bottle opener, and a file. Tool measures 6 5/8" open, 4 1/4" closed, and weighs 9.8 oz. Includes ballistic nylon sheath.

P/N DESCRIPTION
8239F Legend Multi-Plier

The **MP600 Pro Scout™ MULTI-PLIER**, from **Gerber**, utilizes a universal coupler with a premium **RemGrit®** blade and features flip-open needle-nose pliers. It comes with wire cutters, a Standard/Metric scale, cross-head screwdriver, bottle and can opener, crimper, small and medium slotted screwdrivers, file, scissors, and serrated knife. Tool measures 6 5/8" open, 5 1/8" closed, and weighs 9 oz. Includes ballistic-nylon sheath.

P/N DESCRIPTION
7563F Pro Scout Multi-Plier



21PDBS




DBS1



TL2880



TL2012



8239F



7563F



LABEL SCRAPERS come in either retractable or fixed versions for rapid material removal and feature easy blade exchange.

P/N	DESCRIPTION
LS105	Label Scraper w/ Razor Blade
SB109	Razor Blades, Pkg/100
HS690	Hood Grease Scraper, 4" Blade w/ 9" Steel Handle
SB698	Grease Scraper Blades, Pkg/10
	For HS690
HS723	Folding Razor Scraper

Cartridge-based, the **SpeedPak Ti UTILITY KNIFE** offers quick, easy, and safe blade changes. It stays sharper longer, thanks to its **Titanium Bonded®** double-edged blade that is three-times harder than steel. Knife is constructed from lightweight aluminum with a nonslip grip and includes one blade. Gray.

P/N	DESCRIPTION
TL18038	Ti Utility Knife
TL18089	Ti Replacement Blades, Pkg/10

These **UTILITY** and **SAFETY KNIVES** help prevent accidents, saving lost time at work from injuries. The **TL316** comes with three blades and a blade auto lock for extra protection against accidental opening. The **K310** has an automatic spring-action safety guard that covers the blade. Its chrome-plated zinc handle stores two extra blades.

P/N	DESCRIPTION
TL316	Utility Knife
TL6100RB	Replacement Blades, Pkg/10
	For TL316
K310	Lewis Safety Knife

This **FOLDING KNIFE**, from **Camillus**, is made of VG-10 Japanese steel and **Carbonitride Titanium**. This means the knife blades will not chip, blister, peel, or flake. Being about ten-times harder than untreated steel, they stay sharper longer. Knife comes standard with G10 handle.

P/N	DESCRIPTION
18670	Folding Knife w/ Marlin Spike, 6½" (Open)

The **E-Z Out™ SERRATED KNIFE**, from **Gerber**, has **Softgrip®** inserts in its handle for a positive, comfortable grip and easy one-handed operation. It comes with a removable stainless steel pocket clip. Weighs 2.6 oz, is 4⁹/₁₆" closed, and 7⁷/₈" open.

P/N	DESCRIPTION
KN6751	E-Z-Out Knife

Gerber's Applegate-Fairbairn™ Covert™ DOUBLE BEVEL SERRATED KNIFE features effortless one-handed operation (right or left) and includes a removable, reversible stainless steel pocket clip. The patented locking system keeps its blade open or locked closed. Knife measures 4⁷/₈" closed, 8¹³/₁₆" open, and weighs 4.2 oz.

P/N	DESCRIPTION
KN5785	Covert Knife

The **BucketBoss® HOLSTER** incorporates dense foam padding to protect your mobile device and a stainless steel spring clip for carry convenience. Fits up to an **iPhone 7**.

P/N	DESCRIPTION	H X W X D
CPH2	Cell Phone Holster	6 1/2" x 3 1/4" x 1 1/2"

The **Arsenal® UTILITY KNIFE/HOLE PUNCH HOLSTER** features ballistic polyester construction, a stainless steel belt clip, and two pen/pencil pockets.

P/N	DESCRIPTION	H X W X D
HPH	Utility Knife/Hole Punch Holster	9" x 2" x 1"

The **StudSensor™ Pro SL-AC STUD FINDER** locates the edges of wood and metal studs and joists behind walls, ceilings, and floors (up to 3/4" in **Stud Scan** mode or up to 1 1/2" in **DeepScan®** mode). It features precise, instantaneous **TruCal®** calibration to any wall density; a recessed LED display; and an audio signal to pinpoint stud edges. **WireWarning® Detection** continuously detects "hot" unshielded electrical wires (up to 2" deep).

P/N	DESCRIPTION
STUD2	AC Stud Finder

This professional-grade **Hi-Viz® TAPE MEASURE** has bold, clearly printed numbers on a bright-yellow tape with fractional graduations. Its rigid blade is acrylic coated, and its durable case fits comfortably in the hand for better control and impact absorption. Comes standard with a steel belt clip. 1" x 25'. Orange.

P/N	DESCRIPTION
TL125	Tape Measure

Built around a solid aluminum frame, this **TORPEDO LEVEL** features a powerful magnetic edge for hands-free use. Its durable acrylic vials read plumb, level, and 45°.

P/N	DESCRIPTION
TL9919	9" Torpedo Level

Quickly check any CO₂ hose (per NFPA 10) with our **CO₂ HOSE CONTINUITY TESTERS**.

NOTE: Remove hose from extinguisher and place on a non-conductive surface before testing.

P/N	DESCRIPTION
CHT	CO ₂ Hose Continuity Tester w/o Batteries
NCHT	CO ₂ Hose Continuity Tester w/ Batteries






FH8512

MISCELLANEOUS SUPPLIES AND STORAGE

Brooks' FORM HOLDER secures and organizes loose forms, invoices, work orders, and more. Its swivel bar clip and writing plate make it easy to fill out invoices and other forms. Measures 8½" x 12".

P/N	DESCRIPTION
FH8512	Form Holder



MDWG
In Use



MDWG
In Use

Perfect for those who use their vehicle as an office, this **NOTEBOOK MOBILE DESK** provides a comfortable writing surface and installs over any 16" steering wheel in seconds. Works with laptops. Measures 15¼" x 13½".

P/N	DESCRIPTION
MDWG	Mobile Desk



19022EG

Squids' TOOL LANYARDS keep tools at hand and help to prevent injury and lost productivity. They are made of stretchable cord, surrounded by tubular nylon webbing, with reflective stitching. They offer a full range of motion (35"–42") with a 10 lb maximum working capacity.

P/N	DESCRIPTION
19002EG	Tool Lanyard, Single Carabiner, Standard, Black
19012EG	Tool Lanyard, Single Carabiner, Extended, Black
19022EG	Tool Lanyard, Dual Carabiner, Standard, Black
19023EG	Tool Lanyard, Dual Carabiner, Standard, Lime

Squids' COILED CABLE LANYARDS' swiveling design prevents tangles and reduces recoil forces, preventing aggressive snap back, and they keep their length close to the anchoring point, reducing snag hazards.

P/N	DESCRIPTION
19130EG	Coiled Lanyard, 6½"–50", 2 lb Working Capacity, Lime
19131EG	Coiled Lanyard, 7"–51", 5 lb Working Capacity, Orange



19130EG



18336EG

The **Proflex® 335HL SLIP-RESISTANT RUBBER CAP KNEE PAD** grips the work surface for stability. Its 840-denier nylon fabric features ½" NBR foam padding and contoured side cuts for greater knee motion. Woven elastic straps adjust for an exact fit. One size. Black.

P/N	DESCRIPTION
18336EG	Slip-Resistant Knee Pad

Non-conductive, petroleum resistant, and silicone-free, this **Proflex® STANDARD KNEELING PAD** features 1" closed cell foam for outstanding comfort and a handle for easy carry. 14" x 21". Black.

P/N	DESCRIPTION
18380EG	Kneeling Pad

The **Proflex®** neoprene **ELBOW SLEEVE** is perforated for enhanced breath ability with spandex mesh in the elbow for a more comfortable fit. Its contoured ambidextrous design conforms to the body's natural shape. Medium. Black.

P/N	DESCRIPTION
16573EG	Elbow Sleeve

Offering flexibility and effective pain relief from repetitive arm movements, this **Proflex® ELBOW SUPPORT** features neoprene four-way stretch fabric that directs pressure away from the tendons of the forearm. Its contoured design offers a wide base of support for improved performance. Machine washable. Large. Black.

P/N	DESCRIPTION
16004EG	Elbow Support

The **BucketBoss® BUCKET ORGANIZER** turns any 5 gal bucket into an instant tool caddy with 30 pleated pockets for smaller items and an open center for larger ones, while the **STACKER SYSTEM** organizes with four compartments, a drill bit sizer, pencil holder, and 4" ruler. The **BUCKET SEAT** works on any 5 gal bucket, turning it into a handy place to sit and store things (includes a clear cover, six compartments, and carry handle.)

P/N	DESCRIPTION
JB24	Bucket Organizer, Brown/Green
BKBIN	Stacker System, Yellow
BSEAT	Bucket Seat, Red

The lightweight, 11-pocket **BucketBoss® TOOL BELT** is ideal for extinguisher technicians. It holds tags, punches, seals, a rubber mallet, and more. Includes a fully adjustable belt with a quick-release buckle. One size. Brown/Green.

P/N	DESCRIPTION
BELT1	Tool Belt

BucketBoss® GateMouth® TOOL BAGS feature padded sides that protect tools, while its rigid bottom retains its shape. It has 16 pockets, and will not scratch surfaces or rust like metal tool boxes. Adjustable shoulder strap included. Brown/Green.

P/N	DESCRIPTION	L X H X W
GTB2	GateMouth Jr. Bag	12" x 9" x 7"
GTB1	GateMouth Bag	16" x 12" x 9"



18380EG



16573EG In Use



16004EG In Use



JB24 In Use



BKBIN In Use



BELT1 In Use



GTB2



BucketBoss® CONTRACTOR'S BRIEFCASE and **PORTFOLIO** work as a mobile office. The **Contractor's Briefcase** has plenty of room for plans, file folders, notebooks, basic tools. The **Contractor's Portfolio** has numerous pockets of its own. Organizers are constructed from heavy, 600-denier polyester fabric for years of dependable service. Brown/Green.

P/N	DESCRIPTION	L X H X W
CBC1	Contractor's Briefcase	16" x 12½" x 6"
CBC2	Contractor's Portfolio	15" x 12" x 4"



The **Step 'N Stor® TOOL BOX** is made of sturdy co-polymer that will support up to 325 lb and features a sure-grip large carry handle, handy tote tray, and a deep-bottom storage area for supplies and tools. Lockable. Red.

P/N	DESCRIPTION	H X W X D
SSB20	Tool Box	12½" x 20" x 14"



Squids® TIE HOOKS provide a versatile, innovative solution to the problem of securing and storing awkward items, like cords, cable, hoses, wires, and more. Reusable and long lasting, these tie hooks are resistant to oil, salt, solvents, and alkali. With 360° of rotation, they offer easy access from any angle. Hook end has a 1½" opening. Hi-Vis Orange.

P/N	DESCRIPTION	CAPACITY
LHTHS	Large Locking Tie Hook, Short (11 ⁵ / ₁₆ " Belt)	44 lb
LHTHM	Large Locking Tie Hook, Medium (15 ⁵ / ₁₆ " Belt)	44 lb
LHTHL	Large Locking Tie Hook, Long (19 ⁵ / ₁₆ " Belt)	44 lb



Squids® GRABBERS clip to just about anything—clothing, straps, tool belts, D-rings, and more, so gloves, hats, glasses, etc., are right where you need them. They are lightweight, durable, metal detectable, and safe to use, thanks to a "breakaway" feature. Deep Blue.

P/N	DESCRIPTION
19132EG	Grabbers, Dual Clip
19142EG	Grabbers, Belt Clip



The five-drawer **PARTS BIN RACK SYSTEM** stores and organizes O-rings, rivets, fusible links, and more. Bin rack and bin boxes sold separately.

P/N	DESCRIPTION
PBR1	Bin Rack, Gray
LPC16	Bin Box, 16 Compartments, Clear
LPC24	Bin Box, 24 Compartments, Clear



Designed to secure loads in truck beds, the **Save-A-Load® CARGO BAR** features a maintenance-free pump with a push-button instant release and pressure-limiting valve. Pivoting feet and ultra-gripping rubber pads enable it to safely grip most any surface. Bar adjusts from 47" to 75" and will not rust or corrode.

P/N	DESCRIPTION
PUCB	Cargo Bar



This **SINGLE CYLINDER HAND TRUCK** is perfect for medium-to-large cylinders and can be used to transport boxes or other bulky items. Includes a heavy-duty holding chain. Green.

P/N	DESCRIPTION	L X H X W
CYLTRK1	Hand Truck	48" x 14" x 7"



The **ProCart™** is a versatile 2-shelf plastic **UTILITY CART** with side gates (on both the upper and lower shelves) that flip down, converting it from a box-top to a flat-top. Its tough high-density polyethylene structural foam construction makes it virtually indestructible, and it is easy to maneuver—even loaded. 400 lb capacity. Gray.

P/N	DESCRIPTION	L X H X W
30936GREY	Utility Cart	45 ⁵ / ₈ " x 34 ³ / ₄ " x 24"



This heavy-duty **2-SHELF UTILITY CART** features sturdy yet lightweight structural-foam construction that will not rust, dent, or peel, making it ideal for any work environment. Each shelf can hold up to 250 lb (for a total capacity of 500 lb), while an ergonomically designed push handle provides optimum hand placement and push height, improving control and worker safety. Black.

P/N	DESCRIPTION	L X H X W
450088BK	2-Shelf Utility Cart	39" x 33 ³ / ₁₆ " x 17 ⁷ / ₈ "





SPR24 In Use



PB24

These **TRIGGER SPRAYERS** are for general-purpose applications and fit the polyethylene **PLASTIC BOTTLES**, which come with graduations and dilution ratios.

P/N	DESCRIPTION
SPR24	Trigger Sprayer, 8¼" Tube
SPR32	Trigger Sprayer, 10" Tube
PB24	Plastic Bottle, 24 oz
PB32	Plastic Bottle, 32 oz

TRAINING KIT

The **FIRE TRAINING TORCH KIT** provides an ignition and smoke source to monitor ground-level wind currents in and around raw-fuel vapor areas. It offers a visual means for safely positioning students and instructors upwind during training exercises. Each kit includes brackets and wick and accommodates most standard automobile oil filters for burning kerosene or #2 fuel oil.

P/N	DESCRIPTION
FT2	Torch Kit
FT2W	Replacement Wick
FP2B	2B-Rated Fire Pan w/ Drain Plug, 27"L x 27"W x 4"D



FT2



FP2B



TRUForce INDUSTRIAL ALKALINE BATTERIES


BATTERIES AND FLASHLIGHTS

TruForce® Industrial ALKALINE BATTERIES are long-lasting, low-cost alternatives with the power to run all of your devices. Batteries have up to a 10-year shelf life.

P/N	DESCRIPTION
TFAAB	AA Alkaline Batteries, Pkg/4
TFAAAB	AAA Alkaline Batteries, Pkg/4
TFCB	C Alkaline Batteries, Pkg/2
TFDB	D Alkaline Batteries, Pkg/2
TF9VB	9V Alkaline Battery



ENERGIZER ALKALINE BATTERIES



E91BP4

Energizer® Industrial® ALKALINE BATTERIES are designed for heavy-current or continuous-use applications. They operate well in extreme temperatures (0°F to 130°F) with an excellent shelf life. Alkaline cells can even be used after 10 years of storage.

P/N	DESCRIPTION
ALK91*	Industrial AA Alkaline Battery
ALK92*	Industrial AAA Alkaline Battery
ALK93	Industrial C Alkaline Battery
ALK95	Industrial D Alkaline Battery
ALK22	Industrial 9V Alkaline Battery

*AA AND AAA BATTERIES MUST BE PURCHASED IN QUANTITIES OF 4

Energizer® Max® ALKALINE BATTERIES are designed for long-lasting performance in a broad spectrum of devices. They have a long shelf life—10 years—so they are fresh when needed. Mercury-free.

P/N	DESCRIPTION
E91BP4	Max AA Alkaline Batteries, Pkg/4
E92BP4	Max AAA Alkaline Batteries, Pkg/4
E93BP2	Max C Alkaline Batteries, Pkg/2
SL65030	Max AAAA Alkaline Batteries, Pkg/6



E93BP2

This **Energizer® Ultimate Lithium® 9V BATTERY** is 25% lighter with up to two-times the shelf life of an alkaline. Operating in all temperature extremes (-40°F to 140°F), it can last up to 10 years as a backup in AC-powered smoke detectors. Complies with ANSI 9V dimensional specs for alkaline and lithium batteries.

P/N	DESCRIPTION
L522EN*	Ultimate Lithium 9V Battery
	*UNAVAILABLE IN AK, HI, PR, OR CATALINA

Pelican's HeadsUp Lite™ LED HEADLIGHT comes with a rotary bezel switch and adjustable cloth and heavy-duty rubber straps. It is made of impact- and chemical-resistant ABS and is weather-resistant as well as intrinsically safe. Class I, II, III, Division 1 rated, and IPX7 waterproof to 1 m for up to 30 minutes. Three AAA alkaline batteries included. 2¹³/₁₆". Black.

P/N	DESCRIPTION
P2690BK	HeadsUp LED Headlight
	74 Lumens; 11 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4

This **LED HEADLIGHT**, from **Pelican**, features **Gesture Activation Control Technology**, enabling it to turn on with the wave of a hand. A low-level red light for night vision, a Signaling Red (S.O.S.) Beacon light, a rubber head strap, and optical 4x magnification are standard. IPX4 water resistant. Includes three AAA alkaline batteries. 2¹/₂". Black.

P/N	DESCRIPTION
P2720BK	LED Headlight
	200 Lumens (High Mode); 103 hr Runtime (Low Mode)
TFAAAB	AAA Alkaline Batteries, Pkg/4

Energizer's Vision LED HEADLIGHT offers hands-free operation with two light modes that control brightness and runtime, making it up to four-times brighter than standard LEDs. It comes with a pivoting head, slide switch, and three AAA batteries. Impact resistant to 1 m. 1³/₈". Blue.

P/N	DESCRIPTION
HDA32E	Vision LED Headlight
	100 Lumens; 7 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4

Offering tool-quality construction, with advanced LED technology, **Energizer's Hard Case Professional® MAGNET HEADLIGHT** has a detachable magnetic head for metal-mounting. It comes standard with Spot and Flood light settings, a nonslip head strap, removable top strap, and three AAA **Energizer® Max®** batteries. IPX4 water resistant. 1³/₄". Black.

P/N	DESCRIPTION
HCHDM32E	Hard Case Magnet Headlight
	250 Lumens; 3.75 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4



L522EN



P2690BK



P2720BK



HDA32E



HCHDM32E



SL61050



SL61400

Streamlight's Trident® and Enduro® LED HEADLAMPS provide superior hands-free lighting. The **Trident Headlamp** features four LEDs (one being a **C4**), a 90° tilting head, and three-way lighting for short, medium, and long distances (with Spot-to-Flood adjustment). The lightweight **Enduro Headlamp** features High and Low lighting modes, a 0.5 W high-flux LED, and O-ring sealed construction. Both headlamps have polycarbonate bodies and adjustable elastic/rubber combo head straps. **Trident** is IPX4 water resistant. **Enduro** is IPX7 waterproof to 1 m for 30 minutes. And each is impact resistant to 2 m. Three AAA batteries included.

P/N	DESCRIPTION
SL61050	Trident LED Headlamp, Orange/Black/Yellow, 17/8" 80 Lumens (High Mode); 53 hr Runtime (Low Mode)
SL61400	Enduro LED Headlamp, Black, 1 5/8" 50 Lumens (High Mode); 25 hr Runtime (Low Mode)
TFAAAB	AAA Alkaline Batteries, Pkg/4



P2380BK

Tactically oriented, this **Pelican LED FLASHLIGHT** is made of Type II anodized aluminum for extra toughness. It is Spot-to-Flood-light capable and features **Slide-Beam Technology** for easy light adjustment. It includes a built-in battery level indicator and a steel clip to keep it close. IPX7 waterproof to 1 m for up to 30 minutes. Comes with two AA alkaline batteries. 6 7/16". Black.

P/N	DESCRIPTION
P2380BK	Tactical LED Flashlight 372 Lumens (High Mode); 13 hr Runtime (Low Mode)
TFAAB	AA Alkaline Batteries, Pkg/4



P2410Y

Another great light, from **Pelican**, the **StealthLite™ LED FLASHLIGHT** is corrosion proof, extreme-temperature resistant, and submersible. It offers the brightness of a xenon bulb but with the battery life of a LED. Intrinsically safe, it comes standard with a one-handed flip switch and four AA alkaline batteries. Class I, II, III, Division 1 rated and IPX7 waterproof to 1 m for up to 30 minutes. 7". Yellow.

P/N	DESCRIPTION
P2410Y	StealthLite LED Flashlight 183 Lumens; 5.75 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4
E91BP4	Max AA Alkaline Batteries, Pkg/4



PLED23A

Energizer's metal LED PENLIGHT is small and portable, featuring a push-button switch for one-handed operation and a sturdy clip to help keep it close. A super-bright LED provides strong light in an easy-to-use format, while two **Energizer® Max®** AAA alkaline batteries provide the power. Impact resistant to 1 m. 5 5/8". Silver.

P/N	DESCRIPTION
PLED23A	Metal LED Penlight 35 Lumens; 20 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4

Streamlight® Stylus® PENLIGHTS clip to your shirt pocket and feature a 100,000-hour LED that you can switch from Constant-On to Momentary Blink with the click of a button. They have a knurled anodized aluminum body and use three AAAA-cell batteries (included). IPX4 water resistant. Black.

P/N	DESCRIPTION
SL65018	Stylus Penlight, 6 ³ / ₁₆ " Long 11 Lumens; 24 hr Runtime
SL65618	Stylus Reach Penlight, 14" (Extended), 6 ³ / ₄ " (Folded) 11 Lumens; 24 hr Runtime
SL65030	AAAA Replacement Batteries, Pkg/6



SL65618

Featuring **Streamlight's** proprietary **Micro Optical System (MOS)**, the **MicroStream® PENLIGHT** uses a 30,000-hour **C4®** LED that provides up to 45 lumens of bright light. It has an aircraft aluminum housing for added toughness. Other features include an internal polymer liner, shockproof switch, O-ring seal, and an unbreakable polycarbonate lens. Runs on one AAA alkaline battery (included). IPX4 water resistant. 3¹/₂". Black.

P/N	DESCRIPTION
66318	MicroStream Penlight 45 Lumens; 2.25 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4



66318

Energizer's Vision HD PERFORMANCE METAL FLASHLIGHT comes with custom optics for exceptional direct and peripheral vision and is LED color aligned with natural daylight. It also comes standard with digital switching for High, Power-Saver, and Emergency Strobe modes. Made of commercial-grade aluminum alloy and includes six AA **Energizer® Max®** batteries. IPX4 water resistant and impact resistant to 1 m. Black.

P/N	DESCRIPTION
→ EPMZH61E	Vision HD Performance Metal Flashlight 1300 Lumens; 4 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4



EPMZH61E

Streamlight's Stylus Pro® PENLIGHT features **C4®** LED technology for blindingly bright light; compact, durable construction; optimum beam output; and a tailswitch for single-handed operation. Corrosion and IPX4 water resistant, it is shockproof and O-ring sealed with an unbreakable lens and includes two AAA alkaline batteries. 5⁵/₁₆". Black.

P/N	DESCRIPTION
66118	Stylus Pro Penlight 90 Lumens; 11 hr Runtime
TFAAAB	AAA Alkaline Batteries, Pkg/4



66118



EVEL25IN

Dependable and affordable, **Eveready's GENERAL PURPOSE LED FLASHLIGHT** features a ribbed design for a secure, nonslip grip. It shines up to five-times brighter than ordinary LED flashlights and comes standard with a push-button switch. 7¹/₈". Red. Batteries not included.

P/N	DESCRIPTION
EVEL25IN	2D LED Economy Flashlight 25 Lumens; 120 hr Runtime
TFDB	D Alkaline Batteries, Pkg/2



MS2DLED

Energizer® Intrinsically Safe® LED SAFETY FLASHLIGHTS help eliminate risk to workers in potentially hazardous situations. These lights are IP67 waterproof and dustproof and can survive a 1 m drop test. They come standard with shatterproof lenses, large button switches, and built-in carabiners. Class I, Division 1 rated. Orange.

P/N	DESCRIPTION
MS2DLED	2D LED Safety Flashlight, 7 ¹⁵ / ₁₆ " 60 Lumens; 135 hr Runtime
MS2AALED	2AA LED Safety Flashlight, 6" 65 Lumens; 21 hr Runtime
TFDB	D Alkaline Batteries, Pkg/2
TFAAB	AA Alkaline Batteries, Pkg/4
E91BP4	Max AA Alkaline Batteries, Pkg/4



HCSW21E

The water resistant **Energizer® PIVOTPRO FLASHLIGHT** offers 175° of aimable light. It features tool-quality construction with advanced LED technology. Comes with a magnetic base for hands-free use and two AA **Energizer® Max®** batteries. IPX4 water resistant and 7 m drop tested. 9³/₄". Black/Gray.

P/N	DESCRIPTION
HCSW21E	PivotPro 2AA Flashlight 300 Lumens; 5 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4



HCSP61E

The **Energizer® Hard Case Professional® LED SPOTLIGHT** is suited for long-distance lighting applications, thanks to its tight white beam that is intensely focused. Weatherproof, IPX4 water resistant, and impact-resistant to 7 m, its nonslip pistol grip and trigger switch make it easy to operate. Comes with a removable clip and six AA **Energizer® Max®** batteries. 12". Black/Gray.

P/N	DESCRIPTION
HCSP61E	Hard Case LED Spotlight 600 Lumens; 6.25 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4

Intrinsically safe, the **RIGHT ANGLE LED FLASHLIGHT**, from **Pelican**, offers four lighting modes—High, Low, Flashing, and Downcast. It comes with a built-in battery life indicator for at-a-glance power readings, a clip for hands-free operation, and a tethered battery door. Class I, Division 1 approved. IPX4 water resistant. Requires four AA alkaline batteries (not included). 5³/₈". Yellow.

P/N	DESCRIPTION
P3715Y	Right Angle LED Flashlight 233 Lumens (High Mode); 31 hr Runtime (Downcast Mode)
TFAAB	AA Alkaline Batteries, Pkg/4
E91BP4	Max AA Alkaline Batteries, Pkg/4



P3715Y

This **RECHARGEABLE RIGHT ANGLE LED FLASHLIGHT** shares many features with other **Pelican™** flashlights, like High, Low, Downcast, and Flashing light modes. Where it differs is in what it runs on—four alkaline AA batteries or a rechargeable battery pack (both included). It is made of ABS, making it light yet rugged, and it is intrinsically safe. Class I, Division 1 rated (with alkaline batteries) and Class I, Division 2 (with rechargeable battery pack). NFPA 1901 compliant and IPX4 water resistant. 5³/₈". Yellow.

P/N	DESCRIPTION
P3765Y	Rechargeable Right Angle LED Flashlight w/ 120 VAC/12–24V Fast Charger 237 Lumens (High Mode); 14 hr Runtime (Downcast Mode)
TFAAB	AA Alkaline Batteries, Pkg/4
E91BP4	Max AA Alkaline Batteries, Pkg/4



P3765Y

Offering magnetic attachment, **Energizer's Hard Case Professional® LED WORK LIGHT** uniformly lights up areas with two optimized LED modes that offer better runtime and beam distance. IPX4 water resistant, impact resistant to 7 m, and includes four AA **Energizer® Max®** batteries. 13¹³/₁₆". Black.

P/N	DESCRIPTION
HCAL41E	Hard Case Work Light 550 Lumens; 8 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4



HCAL41E

This lightweight **LED LANTERN**, from **Pelican**, has four LEDs with three lighting modes—High, Low, and Flashing—and its head rotates 120°. Other standard features include a battery status indicator and a shoulder strap, and it comes with one 7.2V lithium-ion battery. NFPA 1901 rated and IPX4 water resistant. 8³/₄". Yellow.

P/N	DESCRIPTION
P9410LY*	LED Lantern 1203 Lumens (High Mode); 10.5 hr Runtime (Low Mode)

*Unavailable in AK, HI, PR, or Catalina




P9410LY



Powerful and lightweight, **Pelican's** intrinsically safe **RECHARGEABLE LED LANTERN** comes with four LEDs and three lighting modes—High, Low, and Flashing. A 120° rotating head, battery status indicator, shoulder strap, and four rechargeable "C" Ni-Mh batteries are standard. Class I, Division 1 rated and IPX4 water resistant. 8¾". Yellow.

P/N	DESCRIPTION
P9415Y*	Rechargeable LED Lantern 413 Lumens (High Mode); 12 hr Runtime (Low Mode)
	*Unavailable in AK, HI, PR, or Catalina



The **RECHARGEABLE LED WORK LIGHT KIT**, from **Pelican**, eliminates the hassle of finding power. Powerful, thanks to dual LEDs, it has High and Low lighting modes, a water resistant switch, and a battery indicator to keep track of its power usage. It recharges fast (2 hours), and it all comes in a blow-molded case that includes one lithium-ion battery, a DC vehicle charger, an AC main charger with transformer, a charging station, and a shoulder strap. 29" (closed), 62" (extended). Black.

P/N	DESCRIPTION
P9420XL*	ProGear Work Light Kit 1000 Lumens (High Mode); 4 hr Runtime (Low Mode)
	*Unavailable in AK, HI, PR, or Catalina



This **REMOTE AREA LIGHTING SYSTEM**, from **Pelican**, offers three preset light levels—High, Medium, and Low with Flashing—and a deployable mast that rotates 340° for maximum coverage. It uses eight **High Flux** LEDs for blindingly bright light, while a **Bluetooth® iPhone® App** controls multiple units. Other features include a battery status indicator, shoulder strap, and 12V rechargeable battery. 10¼" (closed), 23¾" (extended). Yellow.

P/N	DESCRIPTION
P9480Y	Remote Lighting System 4000 Lumens (High Mode); 28 hr Runtime (Low Mode)



Intrinsically safe, **Pelican's Little Ed™ RIGHT ANGLE LED FLASHLIGHT** features corrosion-proof ABS resin construction, making it immune to extreme temperatures. It uses **Deep Mount LED Technology** for outstanding light output and comes with a mounting clip and four AA alkaline batteries. Class I, II, III, Division 1 rated and IPX7 waterproof to 1 m for up to 30 minutes. 7½". Yellow.

P/N	DESCRIPTION
P3610Y	Little Ed Flashlight 183 Lumens; 5 hr Runtime
TFAAB	AA Alkaline Batteries, Pkg/4
E91BP4	Max AA Alkaline Batteries, Pkg/4

Waypoint® SPOTLIGHTS, from **Streamlight**, feature pistol grips and trigger switches that make them easy to point, shining powerful light on an exact spot. IPX4 water resistant, these spotlights have an integrated stand for hands-free lighting. Durable made, they have high-impact housings, **C4®** LEDs, and unbreakable lenses. Batteries sold separately. 7¹/₈".

P/N	DESCRIPTION
44900	Waypoint Spotlight w/ 12V Cord & Polymer Mount, Yellow 550 Lumens (High Mode); 82 hr Runtime (Low Mode)
44902	Waypoint Spotlight w/ 12V Cord & Polymer Mount, Black 550 Lumens (High Mode); 82 hr Runtime (Low Mode)
TFCB	C Alkaline Batteries, Pkg/2



44900

In a class by itself, the compact, super-bright **Stinger® FLASHLIGHT**, from **Streamlight**, is a lightweight, rechargeable, personal light that is virtually indestructible. Offering superior materials and craftsmanship, it is even serialized for positive identification. Standard features also include an LED charge-continuity indicator; a snap-in, universal-mount charger; and an anti-roll ring to keep it where you lay it. Its nickel-cadmium battery recharges up to 1000 times as well. IPX4 water resistant and impact resistant to 1 m. Black.

P/N	DESCRIPTION
→ SL75713	Stinger LED Flashlight w/ AC/DC Charger, 2 Holders 400 Lumens (High Mode); 7.25 hr Runtime (Low Mode)
SL75175	Replacement Battery (For SL75713)



→ **NEW**

SL75713

Pelican's LED KEYCHAIN LIGHTS are lightweight with aluminum construction and twist-on activation. They are IPX4 water resistant and come with four coin cell batteries. Lights offer 16 lumens and 8.5-hour runtimes. 1¹/₂".

P/N	DESCRIPTION
P1810BK	Keychain Light, Black
P1810BL	Keychain Light, Blue
P1810GD	Keychain Light, Gold
P1810R	Keychain Light, Red



P1810R



P1450BK



→ NEW

SL45855



→ NEW

SL44450



P3310ELS

Featuring a polypropylene body with stainless steel hardware, padlock protectors, and O-ring seals, this **PROTECTOR CASE**, from **Pelican**, offers waterproof, crushproof, and dustproof protection. The case is easy to open, thanks to double-throw latches. Other standard features include a rubber over-molded handle and **Pick N Pluck™** foam for customizing its interior. IP67 rated (1 m submersion for 30 minutes). 14¹¹/₁₆"L x 6¹/₈"H x 10¹/₄"W (ID). Black.

P/N	DESCRIPTION	L X H X W
P1450BK	Protector Case	16 ⁹ / ₁₆ " x 6 ⁷ / ₈ " x 13 ¹ / ₁₆ " (OD)

E-Spot® LiteBox® LANTERNS, from **Streamlight**, come standard with three **C4®** LEDs that can throw concentrated, bright light over large areas at great distances. They also have swivel heads; optimized electronics for regulated intensity; and unbreakable, scratch-resistant lenses. Their mounting racks meet NFPA 1901 requirements in any position too. Rechargeable, zero-maintenance 6V, 12 Ah sealed lead acid batteries are standard as well. IPX4 water resistant. Orange.

P/N	DESCRIPTION
→ SL45851	E-Spot Litebox Standard System Flashlight 11 ¹ / ₄ "L x 7"H x 5 ³ / ₃₂ "W Includes: 120 VAC, 12 V Chargers, Shoulder Strap & Mounting Rack, 540 Lumens (High Mode); 15 hr Runtime (Low Mode)
→ SL45855	E-Spot LiteBox Vehicle Mount System 11 ¹ / ₂ "L x 7"H x 5 ¹ / ₈ "W Includes: 12 V Charger, Shoulder Strap, 540 Lumens (High Mode); 15 hr Runtime (Low Mode)

These **Fire Vulcan® CLASS I, DIVISION 2 LANTERNS** come with brilliant **C4®** LEDs as well as two ultra-bright blue LED taillights. Three-position toggle switches also make switching between Strobe and Steady modes quick and easy. Quick-release carry straps and mounting racks that meet NFPA 1901 requirements—in any position—are standard too. 7¹/₂"L x 6¹/₂"H x 5"W. Orange.

P/N	DESCRIPTION
→ SL44450*	Fire Vulcan Standard System Flashlight Includes 120 VAC, 12 V Chargers, Shoulder Strap & Mounting Rack, 180 Lumens (High Mode); 10 hr Runtime (Low Mode)
→ SL44451	Fire Vulcan Vehicle Mount System Flashlight Includes: 12 V Charger, Shoulder Strap & Mounting Rack, 180 Lumens (High Mode); 10 hr Runtime (Low Mode)

*UNAVAILABLE IN AK, HI, PR, OR CATALINA.

This **EMERGENCY LIGHTING STATION**, from **Pelican**, is a self-contained glowing beacon and flashlight, housed in a clear tamperproof case that is wall mountable. When mounted, (hardware included) it offers easy access during power outages and has a **Signaling** mode for search and rescue scenarios. Uses three AA-cell alkaline batteries (included). IPX8 submersible to 100 m. 6¹/₈". Photo luminescent.

P/N	DESCRIPTION
P3310ELS	Lighting Station 378 Lumens (High Mode); 202 hr Runtime (Low Mode)
TFAAB	AA Alkaline Batteries, Pkg/4